



Day/Night Roller Blinds

Retail Price list

www.shadow-system.pl

01.09.2026

shadow
SYSTEM



SHADOW-SYSTEM RETAIL PRICE LIST INCLUDING VAT

Remember you can have an influence on the design and content of our product brochures and price lists.

We appreciate cooperation with our customers and we rely on open communication.

If you have any comments or ideas how to improve the materials prepared, we would be happy to get to know your opinion.

TABLE OF CONTENTS

FREE HANGING ROLLER BLINDS

DRM DECOMATIC®	05
Extra charges	07
DRS SMART	09
Extra charges	11

MINI ROLLER BLINDS

DRN VEGAS	13
Aufpreise	15
DRN BASIC & ULTIMATE	16

Technical Information	18
Extra charges - electric drives and controls for free hanging roller blinds	20
Table: Minimum Roller Blind Dimensions for Each Motor	31
General Terms and Warranty Conditions	32

HOW TO USE THE PRICE LIST?
IT'S SIMPLE!
FOLLOW THE INSTRUCTIONS BELOW!



01. Dimensions

Choose the system as well as the roller blind model and take the measurements.



02. Price

Find the price of given dimensions in the price table, according to the price group **(PG)** of the chosen fabric.




03. Extra charges

You will find extra charges for certain models, electric drives and controls and optional accessories in the extra charge section.



04. Important

Note the icons.    code 1234
You will find their meaning at the bottom of pages in the further part of the price list.
If you have any questions, please contact our Customer Service.

DECOMATIC® MEDIUM



Important

Detailed information concerning the dimensions of cassette, components and structures of Day/ Night window blind system can be found in the product folder. The folder is also available in the electronic version at our website.



Basic table and extra charges

Basic table for models:
DRM11 (page 06-07).

Extra charges for support profile and cassettes for models:
DRM12, DRM13, DRM62, DRM63 (page 07).

Extra charges for models with electric motors:
DRM61, DRM62, DRM63 (page 23).



Informations

- 1 For the purpose of calculation, the total external dimensions of the window blind are considered together with side caps.
- 2 The window blind is mounted on the wall, ceiling or within the window niche using clips or corner profiles. The ready window blind set will include a set of standard components for the installation of the specific model. Information concerning standard fixing grips for the specific window blind models can be found in the product folder.
- 3 In Day/ Night window blinds, the horizontal darkening stripes are usually arranged in such a way that when the fabric is fully lowered they cause the room to be darkened. In case of window blinds hanging side by side, if they would have different heights, the horizontal stripes may be on different levels in each of the blinds. At a special customer request, it is possible to arrange the fabric stripes in both window blinds on the same level. However, in such case, in the completely lowered position the stripes may not be in the closed position. More information can be found on page 22 in the product folder.



Colours of the MEDIUM profiles

**RAL
9016**

POWDER COATED
IN WHITE

E6/EV1

ANODISED
IN SILVER

**RAL
9005**

POWDER COATED
IN BLACK


ROLLER BLINDS DAY/NIGHT

DRM-MEDIUM DAY/NIGHT ROLLER BLINDS

FREE HANGING
ROLLER BLINDS
DECOMATIC®

BASIC TABLE

Recommended retail prices including VAT



Recommended maximum width*: 280 cm.
Recommended maximum height*: 300 cm.
Types of operation*: endless chain, electric motor
Mounting: wall, ceiling, window recess
Roller tube: Ø 29 mm, Ø 38 mm, Ø 44 mm
Operation length: 75% of roller blind height

*Depending on a roller blind model and fabric.

Detailed information in the product brochure and fabric collection book.

									WIDTH		Detailed information in the product brochure and fabric collection book.								
PG	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	
100	S	150	161	170	184	194	205	215	227	238	268	285	299	317	331	349	362	379	394
	0	170	183	194	209	220	234	247	259	273	304	323	341	360	378	396	412	429	448
	1	194	209	224	240	255	272	285	301	317	352	373	393	413	434	455	474	494	514
110	S	159	167	180	191	204	215	226	238	249	279	297	313	330	346	364	380	396	413
	0	180	191	205	219	233	248	259	274	287	320	340	359	378	396	415	434	450	470
	1	207	220	236	254	271	287	302	320	336	371	393	415	436	457	479	500	520	543
120	S	165	176	188	202	213	226	235	251	260	292	309	328	345	361	380	396	412	429
	0	188	203	215	230	246	259	273	290	302	336	356	375	396	415	435	454	472	492
	1	216	234	251	268	285	303	320	338	355	391	413	437	460	481	504	525	546	570
130	S	171	185	196	210	223	235	248	260	272	304	323	341	359	375	394	411	429	448
	0	196	211	227	242	257	273	287	303	317	352	373	393	413	434	455	474	494	514
	1	228	247	264	282	301	320	337	357	373	411	436	459	481	505	529	550	575	600
140	S	180	191	205	217	232	246	258	272	285	317	336	353	373	391	410	426	445	463
	0	207	220	236	253	270	285	301	317	334	368	390	410	432	452	474	494	514	537
	1	239	258	277	297	316	336	355	374	393	432	456	480	505	529	554	578	602	627
150	S	188	202	213	228	240	255	270	284	297	330	349	366	386	405	425	444	462	481
	0	215	232	248	265	280	298	315	331	348	384	406	426	449	470	494	514	537	558
	1	252	271	291	312	330	352	372	392	412	452	477	501	528	551	580	605	628	653
160	S	192	208	223	236	251	265	279	296	308	342	362	381	401	419	441	459	477	499
	0	224	240	258	276	293	311	328	346	362	400	423	444	468	489	513	536	556	581
	1	260	282	303	324	346	368	387	411	430	472	499	524	550	576	605	630	655	682
170	S	202	215	229	247	259	276	291	306	321	356	374	394	415	435	456	475	495	514
	0	233	251	268	287	304	323	341	361	379	416	438	461	485	507	532	555	578	602
	1	273	295	316	340	361	384	405	429	450	492	519	545	573	601	628	655	681	710
180	S	209	223	238	254	271	286	301	317	334	366	387	407	429	449	470	491	511	533
	0	242	259	278	298	317	337	355	374	393	430	456	479	504	526	551	575	600	625
	1	285	306	329	353	375	401	423	447	469	511	540	568	598	625	653	680	709	739
190	S	214	232	247	264	279	296	312	329	343	379	401	422	443	466	487	507	528	549
	0	251	271	290	311	329	349	369	390	407	447	472	496	521	546	572	595	621	646
	1	295	320	342	368	392	416	440	466	488	531	562	589	620	650	678	709	737	765
200	S	223	238	254	273	290	306	322	341	357	392	415	435	459	480	501	523	544	567
	0	259	279	299	321	341	362	382	404	424	462	489	513	540	565	590	615	643	668
	1	306	331	356	382	406	434	457	484	507	551	583	612	644	674	702	734	763	794
PG	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	



Prices in the table refer to following model:
chain-operated DRM11
Extra charges for other operation types on page 7.




Extra charges for **electric motors and controls**
on pages 18 - 24.

									WIDTH										
PG		100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270
210	S	230	247	264	280	298	316	334	352	368	404	426	449	474	495	518	539	561	584
	0	270	290	311	331	353	374	396	418	438	479	505	531	559	584	611	636	662	690
	1	318	342	369	396	422	448	475	501	526	572	603	633	668	697	728	759	790	822
220	S	235	254	272	291	308	327	343	362	380	447		462	487	510	533	555	576	601
	0	277	299	321	343	365	387	410	432	454	495	523	548	576	603	631	656	682	711
	1	328	356	382	411	437	466	491	519	545	592	626	656	690	720	754	784	816	849
230	S	243	261	280	299	317	337	355	374	393	429	454	476	501	524	546	570	593	617
	0	286	309	331	355	378	401	423	447	469	511	539	565	594	622	650	677	704	733
	1	340	368	396	424	452	481	507	538	565	612	646	677	713	744	778	811	843	877
240	S	252	270	287	309	327	346	366	385	404	441	467	489	514	539	563	587	611	634
	0	296	318	341	366	390	413	437	461	484	525	555	583	612	639	670	697	726	755
	1	352	380	407	438	467	498	526	556	584	631	668	700	735	769	803	836	872	906
250	S	258	277	297	317	337	357	378	397	416	454	480	503	529	551	580	603	627	652
	0	304	328	352	378	401	426	450	476	499	542	572	601	631	658	690	718	747	777
	1	362	392	422	452	482	513	543	575	603	651	689	721	759	792	828	864	898	933
260	S	265	285	304	327	346	366	387	407	428	467	492	518	543	567	593	617	645	670
	0	313	338	362	390	413	438	463	489	514	558	588	617	649	677	709	738	769	799
	1	373	405	435	468	498	529	561	592	624	672	709	744	780	816	853	889	924	962
270	S	273	293	313	336	356	378	397	419	440	479	506	531	558	582	609	634	658	686
	0	322	348	373	400	425	452	477	504	529	573	606	634	668	696	728	759	789	821
	1	385	416	448	481	512	545	578	609	643	693	732	765	804	841	878	916	952	988
280	S	279	301	322	343	365	387	407	430	452	492	519	544	570	598	625	651	676	702
	0	331	357	384	411	437	466	491	519	544	589	622	652	684	716	748	779	810	842
	1	396	428	461	495	528	563	593	628	659	713	752	789	827	865	903	941	979	1017
290	S	286	309	330	353	374	397	418	443	463	504	531	558	586	612	638	666	693	720
	0	340	368	394	423	449	477	504	533	561	606	637	670	702	735	766	799	832	865
	1	406	441	475	510	543	578	611	647	680	733	771	810	849	889	928	966	1005	1045
300	S	295	317	340	361	384	407	430	454	476	518	545	570	600	627	655	681	710	738
	0	349	378	405	434	461	491	519	546	575	622	655	688	720	754	788	820	853	886
	1	418	454	488	523	558	594	630	665	699	753	794	833	873	912	953	991	1032	1073
PG		100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270

EXTRA CHARGES FOR SUPPORT PROFILE AND CASSETTE


(basic price table + extra charge)



									WIDTH										
PG	100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270	
CASSETTE	100	107	114	124	131	141	149	158	166	174	183	190	201	208	216	227	233	240	

DRM-MEDIUM DAY/NIGHT ROLLER BLINDS

ADDITIONAL OPTIONS



Side guiding
(nylon cords + standard
bottom mounting parts)

30,00 € /Set



„SIM“ bottom weight
in white or silver

NO EXTRA CHARGES



Metal chain *

3,30 € /prm
of chain *

* operation chain length - (0,75 x roller blind height) x2

ADDITIONAL ELEMENTS

index 2172



MEDIUM clip
in white or alu

1,80 € /pc

index 2138



Bracket 33mm
in white or alu.

8,30 € /pc

index 2142



Adjustable Bracket
60 - 108 mm
in white or alu colour.

☐ **6,80 € /pc**

☐ **7,60 € /pc**

index 2143



Adjustable bracket
108 - 156 mm
in white or alu

☐ **16,00 € /pc**

☐ **20,00 € /pc**

index 2144



Adjustable bracket
156 - 204 mm
in white or alu

☐ **22,70 € /pc**

☐ **25,40 € /pc**

index 2150



Block holder
for side guiding
white, grey or black

7,90 € /pc

index 2048



Chain weight
white, grey, black

2,40 € /pc



Element used as a standard installation in certain type of roller blinds. It should not be included in the valuation - only if ordered separately. More information can be found in the Product Brochure.

index 1234

Additional elements were marked with indexes which can be used when placing orders. You can use the assigned index number instead of providing the full name of the element.

DAY / NIGHT SMART S



Important

Detailed information concerning the dimensions of cassette, components and structures of Day/ Night window blind system can be found in the product folder. The folder is also available in the electronic version at our website.



Basic table and extra charges

Basic table for model:
DRSM-11S (page 10 - 11)

Semi-open cassette extra charges:
DRSM-13S (str. 11)

Extra charges for models with electric motors:
DRSM-61S, DRSM-63S (page 22).



Informations

- 1 For the purpose of calculation, the total external dimensions of the window blind are considered together with side caps.
- 2 The window blind is mounted on the wall, ceiling or within the window niche using clips or corner profiles. The ready window blind set will include a set of standard components for the installation of the specific model. Information concerning standard fixing grips for the specific window blind models can be found in the product folder.
- 3 In Day/ Night window blinds, the horizontal darkening stripes are usually arranged in such a way that when the fabric is fully lowered they cause the room to be darkened. In case of window blinds hanging side by side, if they would have different heights, the horizontal stripes may be on different levels in each of the blinds. At a special customer request, it is possible to arrange the fabric stripes in both window blinds on the same level. However, in such case, in the completely lowered position the stripes may not be in the closed position. More information can be found on page 22 in the product folder.



Colours of the SMART S profiles

Roller blind with support profile



WHITE



OFF-WHITE



ALUMINIUM



ANTHRACITE
GREY



BLACK

Blinds in a square cassette



WHITE



BLACK



ALUMINIUM

Decorative set (metal side caps, chain)



STAINLESS
STEEL



ALUMINIUM



BLACK
NICKEL




OLD
BRASS

DRSM- SMART DAY/NIGHT ROLLER BLINDS

FREE HANGIN
ROLLER BLINDS
COULISSE

BASIC TABLE

Recommended retail prices including VAT



Recommended maximum width*: 230 cm
Recommended maximum height*: 260 cm
Types of operation*: chain with connector, electric motor
Mounting: wall, ceiling, window recess
Roller Tube: Ø 28 mm, Ø 30 mm, Ø 35 mm
Operation length: 75% of roller blind height

		WIDTH															
PG		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230
HEIGHT	80	S 106	116	123	130	139	146	153	163	170	178	186	193	202	216	225	237
	0	125	135	146	156	167	176	187	197	209	219	230	240	251	269	279	294
90	1	141	153	167	180	192	206	218	230	243	256	269	281	295	315	327	344
	S	112	120	128	136	145	153	162	170	178	187	194	203	212	228	236	250
100	0	131	143	154	165	176	189	201	211	223	234	245	256	268	286	297	313
	1	149	164	178	191	206	219	234	249	260	275	290	302	317	338	352	370
110	S	117	125	134	143	150	161	169	178	187	194	205	213	223	238	249	262
	0	140	150	163	175	187	198	212	224	235	249	259	272	285	303	316	333
120	1	159	174	189	205	219	234	250	264	279	295	309	324	339	361	377	396
	S	121	130	140	148	158	168	176	186	194	205	214	224	233	250	259	274
130	0	146	159	171	185	197	211	224	236	250	262	275	289	301	321	334	352
	1	168	185	201	216	233	250	265	280	297	313	330	345	362	384	401	421
140	S	125	135	145	154	164	174	185	193	205	213	224	234	243	260	272	286
	0	152	167	181	193	208	220	235	250	262	277	290	303	318	339	353	371
150	1	176	194	212	229	247	264	280	297	316	333	349	368	384	407	426	447
	S	130	141	150	162	171	183	192	202	212	223	233	243	253	273	282	299
160	0	161	174	189	203	218	233	247	260	277	291	304	319	335	356	371	390
	1	186	206	224	242	259	278	296	315	334	352	370	388	406	430	450	472
170	S	134	145	156	167	178	189	198	211	220	231	243	253	265	282	295	311
	0	167	183	197	213	229	243	258	274	290	304	321	337	352	374	390	408
180	1	196	215	234	253	273	293	312	331	351	370	390	408	428	455	474	497
	S	142	153	165	176	189	201	212	224	235	247	258	271	282	295	307	322
190	0	176	192	209	227	243	258	275	293	309	324	341	359	375	391	407	428
	1	207	229	250	271	291	312	333	353	374	395	415	436	457	478	499	523
200	S	148	161	172	185	197	211	223	235	247	259	273	285	297	309	322	334
	0	185	203	219	237	255	273	290	308	324	343	360	378	395	413	429	448
210	1	218	240	262	285	307	329	351	373	395	417	439	461	483	505	527	549
	S	152	165	178	191	205	216	230	243	256	269	281	295	308	321	334	346
220	0	191	211	229	247	265	282	301	321	339	357	375	393	412	430	449	467
	1	228	250	273	296	319	343	366	390	413	435	458	481	505	528	551	575
230	S	158	170	184	197	211	224	237	251	265	278	291	304	318	331	345	359
	0	198	218	236	256	275	295	315	333	352	371	391	411	428	448	467	487
240	1	236	259	285	309	334	357	382	406	429	455	479	503	527	551	576	600
	S	162	175	190	203	216	231	246	258	273	287	301	315	329	343	357	370
250	0	206	227	246	265	286	304	326	345	366	385	405	426	445	466	485	505
	1	246	271	296	321	346	373	397	423	448	474	499	524	549	575	602	626
260	S	165	181	194	209	224	237	252	268	281	296	311	324	339	353	369	383
	0	213	234	255	275	296	317	338	359	379	400	421	441	462	483	503	524
270	1	255	280	308	334	360	386	413	440	466	492	519	545	572	598	625	651
	PG	80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230

* Depending on a roller blind model and fabric.
Detailed information in the product brochure and fabric collection book.



Prices in the table refer to following model:
chain-operated DRSM-11S
Extra charges for other operation types on page 11.



Extra charges for **electric motor and controls**
on page 22.

		WIDTH																
PG		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	
HEIGHT	210	S	170	185	201	215	230	246	259	275	290	304	319	335	349	365	381	395
		0	219	242	262	285	307	327	349	371	392	414	436	457	479	501	522	544
		1	264	291	318	346	374	401	428	457	484	511	539	567	594	622	649	677
	220	S	174	190	206	220	236	252	268	282	299	315	330	345	361	375	391	406
		0	227	250	272	294	317	339	361	384	406	428	450	474	496	518	541	563
		1	273	301	330	359	386	415	444	474	502	531	560	588	616	646	673	701
	230	S	180	194	212	228	243	258	275	291	307	323	339	355	371	386	403	419
		0	234	257	280	303	326	349	373	396	419	443	466	489	513	537	560	583
		1	281	312	341	371	401	430	461	491	519	549	580	609	638	669	698	728
	240	S	184	201	216	234	250	267	282	299	316	333	348	365	382	399	414	430
		0	240	265	289	313	337	361	384	408	434	457	481	505	529	553	578	603
		1	291	322	353	383	414	445	477	507	538	568	600	631	660	692	722	754
	250	S	189	206	223	238	256	273	290	308	324	341	359	375	392	408	426	443
		0	247	273	297	322	346	371	397	422	447	471	496	522	546	571	595	621
		1	300	333	363	396	428	459	492	524	555	588	620	651	684	715	747	780
	260	S	192	211	228	246	262	280	297	316	333	351	368	385	403	421	437	456
		0	255	280	304	331	357	383	408	435	459	485	511	538	563	589	613	639
		1	309	343	375	408	441	474	507	540	573	606	639	672	706	738	772	804
PG		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230	
		WIDTH																


CASSETTE EXTRA CHARGES

(basic table price + extra charge for cassette)




		WIDTH															
		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230
CASSETTE		107	114	122	129	139	146	154	162	170	179	187	195	204	212	219	229

ADDITIONAL OPTIONS



Side guiding
(nylon cords + standard
bottom mounting parts)

89,00 € /Set



„SIM“ bottom weight
in white or silver

NO EXTRA CHARGES



Metal chain*
with chain connector /
endless chain

3,30 € /mb.



Metal decorative set
(metal side caps and metal
chain, colours - page 24)

90,00 € /Set.

* Operation chain lenght - (0,75 x roller blind height) x2

MINI DAY/NIGHT ROLLER BLINDS



Important

Detailed information concerning the dimensions of cassette, components and structures of Day/ Night window blind system can be found in the product folder. The folder is also available in the electronic version at our website.



Basic table and extra charges

VEGAS DAY/NIGHT ROLLER BLINDS

Base Price Table for Model DRN-VEGAS (p. 13-14)
Additional Charge for the Room Cassette Including Side Guide Rails **DRN-VEGAS-PR** (p. 14-15)

ULTIMATE DAY/NIGHT ROLLER BLINDS

Base Price Table for Model **DRN ULTIMATE** (p. 16-17)



Informations

- 1 For the purpose of calculation, please use the order dimensions of window blinds. Both for DRN BASIC as well as DRN ULTIMATE window blinds these will be the dimensions of the fabric.
- 2 Window wing-mounted blinds are fixed to window beads or to the window wing frame using mounting screws provided with the product. Side covers are fixed to the window beads using robust double-sided tape.
- 3 For DRN BASIC and DRN ULTIMATE models, the set includes PVC side covers. For DRN ULTIMATE window blinds, aluminium side covers are also available for an additional charge.
- 4 For windows with semi-circular window beads, a PVC bow side cover can be used.



Colours of the MINI ROLLER BLINDS profiles

Vegas:



WHITE



ANTHRACITE



BLACK

Wood-like (extra charge):



GOLDEN OAK



WALNUT



TURNER OAK

Ultimate:



WHITE



SILVER


DRN-DAY/NIGHT ROLLER BLINDS

VEGAS

MINI ROLLER BLINDS VEGAS

BASIC TABLE

Recommended retail prices including VAT




Recommended maximum width*: 160 cm.
Recommended maximum height*: 220 cm.
Types of operation: chain
Cassette: aluminium
Covering profiles: PCV.
Mounting: window frame
Operation length: 75% of roller blind height

		WIDTH														
PG		30	40	50	60	70	80	90	100	110	120	130	140	150	160	
HEIGHT	30	S	44	49	54	57	62	68	72	79	83	89	96	100	107	111
		O	59	66	74	79	87	93	100	108	113	121	127	134	142	147
		I	65	74	83	90	99	106	116	123	131	140	148	156	165	172
	40	S	45	49	55	60	67	70	76	82	89	93	99	106	112	119
		O	58	65	72	79	87	92	99	107	113	121	126	133	141	147
		I	68	78	87	98	106	116	125	135	144	153	162	172	181	190
	50	S	46	52	57	63	68	75	79	86	91	98	104	112	119	124
		O	61	69	77	83	91	99	107	114	121	129	136	144	152	160
		I	71	83	93	103	114	125	135	145	156	166	177	187	198	207
	60	S	47	52	59	66	71	76	84	90	97	103	110	117	124	132
		O	63	71	79	89	98	104	113	121	130	139	146	154	163	172
		I	75	86	99	111	122	133	144	156	168	180	190	202	213	226
70	S	48	55	61	67	74	80	88	94	101	108	116	123	131	138	
	O	66	76	85	92	102	111	120	129	138	147	156	165	175	183	
	I	78	91	104	117	129	142	155	168	180	193	205	217	230	242	
80	S	48	55	63	69	76	83	90	98	105	112	120	128	136	144	
	O	67	77	88	98	107	117	127	135	146	156	164	175	185	196	
	I	81	96	110	124	136	150	164	178	191	206	218	232	245	259	
90	S	50	58	65	71	79	87	94	102	109	117	126	133	142	151	
	O	70	81	91	101	111	123	133	143	154	164	175	185	197	206	
	I	85	99	114	129	143	160	173	189	203	218	232	247	262	275	
100	S	51	58	66	74	81	88	97	105	114	123	130	139	148	158	
	O	72	83	94	106	118	128	139	150	162	174	184	195	206	218	
	I	87	103	120	135	151	167	183	198	215	230	246	261	276	292	
110	S	52	61	68	75	85	92	101	110	118	127	136	145	154	164	
	O	75	87	98	110	122	133	146	159	169	182	193	205	218	228	
	I	90	109	125	141	159	175	192	210	226	242	258	275	292	308	
120	S	52	63	70	78	87	94	104	113	122	132	140	151	160	170	
	O	76	88	101	114	127	139	152	165	177	191	202	214	227	240	
	I	93	111	130	148	166	183	202	219	236	254	271	289	307	323	
130	S	54	64	72	81	89	99	108	118	126	136	146	156	166	177	
	O	78	92	105	118	131	145	159	173	184	197	212	225	239	251	
	I	97	116	134	153	173	191	210	229	247	267	285	302	322	339	
140	S	56	65	74	84	92	102	110	121	131	142	151	161	173	183	
	O	79	93	108	122	136	150	164	178	192	206	219	234	248	262	
	I	99	119	139	160	180	198	218	239	258	278	296	315	335	355	
150	S	57	66	77	85	94	105	114	125	134	146	156	168	180	190	
	O	82	97	111	126	140	156	170	186	200	215	229	245	259	273	
	I	103	123	144	165	186	206	227	248	268	289	310	330	350	370	
160	S	58	68	77	87	98	107	117	129	139	151	162	173	185	196	
	O	84	99	114	130	146	160	175	191	207	223	237	252	268	284	
	I	105	126	148	170	192	213	235	257	279	300	321	342	364	384	
		WIDTH														
PG		30	40	50	60	70	80	90	100	110	120	130	140	150	160	

DRN-DAY/NIGHT ROLLER BLINDS VEGAS

MINI ROLLER BLINDS VEGAS

		WIDTH													
PG		30	40	50	60	70	80	90	100	110	120	130	140	150	160
170	S	61	69	80	89	99	111	121	133	144	155	167	178	192	203
	0	86	103	118	134	150	167	182	200	214	230	246	262	278	294
	1	108	131	153	175	200	222	245	267	289	311	333	356	378	399
180	S	61	70	82	91	104	113	126	136	149	160	172	184	197	210
	0	87	105	121	138	155	171	188	204	222	238	254	271	288	304
	1	109	134	158	182	205	228	252	276	299	322	345	369	392	414
190	S	62	72	84	93	105	116	129	141	151	165	177	191	203	216
	0	90	107	125	141	159	176	194	211	228	245	264	280	298	314
	1	113	138	163	186	211	236	260	285	309	333	356	381	404	428
200	S	62	74	85	97	108	119	132	144	156	170	182	196	209	223
	0	90	107	127	144	161	178	197	215	234	252	269	287	306	322
	1	113	140	166	191	215	242	267	292	317	341	366	392	417	440
210	S	64	76	88	99	110	123	135	149	161	174	188	202	215	230
	0	92	112	130	149	167	187	205	224	242	260	279	298	316	335
	1	118	145	172	197	224	250	276	302	329	354	378	404	430	456
220	S	65	77	89	102	113	126	139	152	166	178	192	207	222	236
	0	94	113	133	153	172	191	210	230	249	268	287	307	326	345
	1	121	148	175	202	229	257	282	310	337	364	390	417	442	469
230	S	66	80	90	103	116	130	143	156	170	185	198	213	229	243
	0	97	117	136	155	175	196	215	236	255	275	295	315	335	353
	1	123	151	180	208	235	264	292	319	346	374	401	428	456	482
PG		30	40	50	60	70	80	90	100	110	120	130	140	150	160
		WIDTH													




Extra charge for DRN-VEGAS PR
model
(Headbox and guide rail)

		WIDTH													
HÖHE		30	40	50	60	70	80	90	100	110	120	130	140	150	160
	30	4	4	4	5	5	5	5	5	6	6	6	6	6	7
40	5	5	5	5	5	5	6	6	6	6	6	7	7	7	7
	50	5	5	5	6	6	6	6	6	7	7	7	7	7	8
60	6	6	6	6	6	6	7	7	7	7	7	8	8	8	8
	70	6	6	6	7	7	7	7	7	8	8	8	8	8	9
80	7	7	7	7	7	7	8	8	8	8	8	9	9	9	9
	90	7	7	7	8	8	8	8	8	9	9	9	9	9	10
100	8	8	8	8	8	8	9	9	9	9	9	10	10	10	10
	110	8	8	8	9	9	9	9	9	10	10	10	10	10	11
120	9	9	9	9	9	9	10	10	10	10	10	11	11	11	11
	130	9	9	9	10	10	10	10	10	11	11	11	11	11	12
140	10	10	10	10	10	10	11	11	11	11	11	12	12	12	12
	150	10	10	10	11	11	11	11	11	12	12	12	12	12	13
160	11	11	11	11	11	11	12	12	12	12	12	13	13	13	13
	170	11	11	11	12	12	12	12	12	13	13	13	13	13	14
180	12	12	12	12	12	12	13	13	13	13	13	14	14	14	14
	190	12	12	12	13	13	13	13	13	14	14	14	14	14	15
200	13	13	13	13	13	13	14	14	14	14	14	15	15	15	15
	210	13	13	13	14	14	14	14	14	15	15	15	15	15	16
220	14	14	14	14	14	14	15	15	15	15	15	16	16	16	16
	230	14	14	14	15	15	15	15	15	16	16	16	16	16	17
		WIDTH													
		30	40	50	60	70	80	90	100	110	120	130	140	150	150

DRN-DAY/NIGHT ROLLER BLINDS

VEGAS

EXTRA CHARGE



Woodgrain looking cassette and covering profiles (standard and arch)
golden oak, walnut, winchester, mahogany, moor oak.

						WIDTH									
	30	40	50	60	70	80	90	100	110	120	130	140	150	160	
HEIGHT	30	9	10	11	12	14	14	16	17	19	20	23	23	25	26
	40	9	11	12	14	14	16	17	19	20	21	23	25	27	29
	50	11	12	13	15	16	17	19	20	21	23	25	26	28	30
	60	11	13	15	15	17	19	19	20	23	25	27	28	29	30
	70	13	14	15	17	18	19	20	23	25	26	28	29	31	33
	80	14	15	16	18	19	20	23	24	26	27	29	30	32	34
	90	15	16	18	19	20	23	24	26	28	29	30	31	33	36
	100	16	17	19	20	21	23	26	27	29	30	31	33	34	35
	110	17	19	20	23	23	25	26	28	29	31	32	35	36	37
	120	18	20	21	23	25	27	28	29	31	32	34	36	37	39
	130	20	20	23	24	26	28	29	30	32	33	35	37	39	41
	140	20	23	25	26	28	29	31	32	33	36	37	38	39	41
	150	23	24	26	27	28	30	32	33	35	36	38	39	41	42
	160	23	26	27	28	30	31	33	35	36	37	39	41	42	45
	170	26	27	28	29	31	33	34	36	37	39	41	42	45	47
180	26	28	29	30	32	34	36	37	38	40	41	44	46	48	
190	28	29	31	31	33	35	37	38	40	41	42	45	48	50	
200	28	30	31	33	35	36	38	39	41	42	45	47	48	50	
210	30	31	32	34	36	37	39	41	42	44	46	48	50	51	
220	31	33	34	36	37	39	40	42	44	46	48	50	51	52	
230	32	34	35	37	38	40	41	44	46	48	49	51	52	54	
	30	40	50	60	70	80	90	100	110	120	130	140	150	150	
						WIDTH									

DAY/NIGHT ROLLER BLINDS
VEGAS

NAME	COAT
30	6
40	7
50	8
60	10
70	11
80	13
90	14
100	15
110	17
120	18
130	20
140	21
150	22
160	24
170	25
180	27
190	28
200	29
210	32
220	33
230	35

NAME	DECOR
30	10
40	12
50	14
60	17
70	20
80	23
90	25
100	27
110	31
120	34
130	37
140	39
150	41
160	45
170	47
180	50
190	53
200	55
210	59
220	61
230	64

EXTRA CHARGE FOR
side guides



Arch covering PCV profile

NO EXTRA CHARGE

Alternative option for PCV covering profiles


DRN-DAY/NIGHT ROLLER BLINDS ULTIMATE

coulisse
DECORATION SOLUTIONS

MINI ROLLER BLINDS

BASIC TABLE

Recommended retail prices including VAT




Recommended maximum width*: 150 cm.
Recommended maximum height*: 220 cm.
Types of operation: chain
Cassette: aluminium
Covering profiles: PCV.
Mounting: window frame
Operation length: 75% of roller blind height

		WIDTH												
PG		30	40	50	60	70	80	90	100	110	120	130	140	150
30	S	46	51	56	61	66	71	77	83	88	93	100	105	111
	0	62	68	77	83	90	98	104	111	118	126	132	139	147
	1	67	77	86	93	103	110	120	127	136	144	153	161	170
40	S	48	54	59	64	70	76	81	87	93	99	105	111	118
	0	62	68	77	83	90	98	104	111	118	126	132	139	147
	1	71	82	90	101	110	121	129	140	149	159	167	177	187
50	S	49	56	61	67	72	79	84	90	98	104	110	118	125
	0	65	72	81	88	96	104	111	120	127	134	143	150	159
	1	76	87	98	108	120	129	140	150	162	172	183	193	204
60	S	51	57	64	70	77	82	89	96	103	109	117	123	131
	0	67	77	84	93	103	110	120	127	136	144	153	161	170
	1	79	90	104	116	127	139	150	162	173	186	197	209	220
70	S	54	60	66	72	79	86	93	100	108	114	122	129	138
	0	70	81	89	99	108	117	126	134	144	154	164	172	182
	1	83	96	109	122	134	148	161	173	187	200	211	225	237
80	S	55	61	68	76	82	89	98	105	111	120	128	136	144
	0	72	83	93	104	112	123	133	143	153	164	172	183	193
	1	87	101	116	129	143	156	171	186	198	213	226	239	253
90	S	56	64	70	78	86	93	101	109	117	125	133	142	150
	0	77	87	98	108	118	129	140	150	162	172	183	193	205
	1	90	105	121	136	150	166	181	195	210	226	239	254	270
100	S	59	65	72	81	88	96	105	112	122	131	139	148	156
	0	79	89	101	112	125	136	147	159	170	182	193	204	215
	1	93	110	127	143	159	175	191	206	223	238	254	270	286
110	S	60	67	76	83	92	100	109	118	127	136	145	154	164
	0	82	93	105	118	129	142	154	166	177	191	203	214	227
	1	98	116	132	149	166	183	200	217	235	250	267	284	301
120	S	61	70	78	86	94	104	112	122	131	142	150	161	170
	0	84	96	109	122	134	148	161	173	187	200	211	225	237
	1	101	120	138	155	173	192	210	228	245	264	281	298	316
130	S	62	71	81	89	99	108	117	127	136	147	155	166	176
	0	86	100	112	127	140	154	167	182	194	208	222	235	249
	1	105	123	143	162	182	200	219	238	257	276	294	313	332
140	S	65	74	83	92	101	111	121	131	142	151	162	172	184
	0	88	103	117	131	145	160	173	188	203	216	231	245	259
	1	128	148	169	188	209	228	249	269	288	308	327	346	
150	S	66	76	86	94	105	114	125	134	145	156	167	178	191
	0	90	106	121	136	150	166	181	195	210	226	239	255	270
	1	111	132	153	175	195	216	237	258	279	299	320	341	360
160	S	67	78	87	98	108	118	128	140	150	162	173	186	197
	0	93	109	125	140	155	171	187	203	217	233	249	265	280
	1	114	136	159	181	203	225	247	269	291	311	333	354	376
PG		30	40	50	60	70	80	90	100	110	120	130	140	150
		WIDTH												

* Depending on a roller blind model and fabric.
Detailed information in the product brochure and fabric collection book.

DAY/NIGHT ROLLER BLINDS
MINI ROLLER - ULTIMATE

		WIDTH												
PG		30	40	50	60	70	80	90	100	110	120	130	140	150
170	S	70	79	89	100	110	122	132	144	155	167	178	191	204
	0	96	112	128	145	161	177	193	210	226	243	258	275	291
	1	118	142	164	187	210	232	255	277	301	323	345	369	391
180	S	71	82	92	103	114	126	138	149	161	172	186	197	210
	0	99	116	132	149	166	183	200	216	233	250	267	284	301
	1	121	145	169	193	216	239	265	288	311	335	358	381	404
190	S	72	84	94	106	117	128	142	153	165	177	191	204	216
	0	101	118	136	153	171	188	206	223	242	258	276	293	311
	1	125	149	173	198	223	248	272	297	321	346	370	394	418
200	S	74	86	98	109	121	132	145	156	170	183	195	210	223
	0	104	121	140	159	175	193	211	230	249	267	284	302	320
	1	127	153	178	205	230	255	281	306	332	357	381	407	432
210	S	77	88	100	111	123	136	149	162	175	188	203	216	230
	0	105	125	143	162	181	200	217	237	255	275	293	313	331
	1	129	156	184	210	237	264	289	315	342	369	393	419	445
220	S	78	89	103	114	127	140	153	166	181	193	208	222	237
	0	108	127	147	166	186	205	225	244	264	282	302	321	341
	1	133	161	188	215	243	271	297	324	352	379	404	432	458
PG		30	40	50	60	70	80	90	100	110	120	130	140	150



Aluminum covering profile
white and anodised
in silver

11,00 € /prm.

Alternative option for PCV standard blend

Price calculation Step by Step



The data accepted for the calculation are highlighted in red.

For the calculation, we used the following parameters:

118,5 cm x 143 cm
Model - DRN ULTIMATE
Fabric - S-1546 DR (PG: S)
Extra charge - Aluminium valance

- 1 Take the exact dimensions, e.g.:
118,5 cm x 143 cm
(Width x Height)
- 2 From the price table, select the price for the rounded-up dimensions, taking into account the price group (PG) of the selected fabric.
120 cm x 150 cm (158 €)
- 3 Additionally, select aluminum valances.
Height of the roller blind x2 (**150 cm x2 = 3,00 m**)
3,00 m x 11 € = 33,00 €
- 4 Final selling price (**158 + 33 €**) = **191 €**



IMPORTANT


To calculate the price of a roller blind with an electric drive, the price of the selected motor must be added. The motor price includes installation inside the roller blind and adjustment of the end positions. Additional charges for electric drives and control systems can be found on pages 60–70.



ARRANGEMENT OF THE STRIPES IN DAY/NIGHT WINDOW BLINDS

In Day/ Night window blinds, the horizontal darkening stripes are usually arranged in such a way that when the fabric is completely lowered, they are arranged in the closed position, cutting off light to the room.

Window blinds of equal heights, hanging beside each other.



If completely lowered, the window blinds are closed.




In the open position, the fabric stripes in both blinds lie at the same height.



In case window blinds hanging side by side that differ in height, it may come to the horizontal stripes being at different levels in both window blinds.


Window blinds of differing heights, hanging beside each other.



If completely lowered, the window blinds are closed.



In the open position, the fabric stripes in both blinds are at different heights.





TECHNICAL INFORMATION



ARRANGEMENT OF THE STRIPES IN DAY/NIGHT WINDOW BLINDS

In Day/ Night window blinds, the horizontal darkening stripes are usually arranged in such a way that when the fabric is completely lowered, they are arranged in the closed position, cutting off light to the room.

Window blinds of equal heights, hanging beside each other.




If completely lowered, the window blinds are closed.




In the open position, the fabric stripes in both blinds lie at the same height.

In case window blinds hanging side by side that differ in height, it may come to the horizontal stripes being at different levels in both window blinds.

Window blinds of differing heights, hanging beside each other.



If completely lowered, the window blinds are closed.



In the open position, the fabric stripes in both blinds are at different heights.

MOTORS AND CONTROLS



MOTORS



BATTERY MOTOR RTS CONTROL



system:
Benthin **RC, RM**
Coulisse **S, M**

Roll Up 24 Wire Free RTS with built-in battery

0,55 Nm | 38 U/Min. | 12 V | 800 mAh

(1240279)
195,00 €

minimum width of the roller blind: 570m*



system:
Benthin **RM, RMP**
Coulisse **S, M**

Sonesse ULTRA 30 WF RTS Li-Ion

2 Nm | 10-28 U / Min. | 12 V | 2600 mAh

(1003311)
293,00 €

minimum width of the roller blind: 740m*



system:
Benthin **RC, RM**
Coulisse **S, M**

Sonesse 28 WF RTS Li-Ion

1,1 Nm | 20 U / Min. | 12 V | 2600 mAh

(1003296 - 1,1/28)
273,00 €

minimum width of the roller blind: 636m*



system:
Benthin **RM, RMP, L**
Coulisse **M, L**

Sonesse 40 WF RTS Li-Ion

3Nm | 28U / Min. | 12 V | 4600 mAh

(1240486)
463,00 €

minimum width of the roller blind: 740m*



MOTOR 24V



system:
Benthin **RC, RM**
Coulisse **S, M**

Roll Up 28 WT

0,8 Nm | 28 U / Min. | 24 V

(1002833)
231,00 €

minimum width of the roller blind: 390m*



MOTOR 230 V RTS / IO CONTROL



system:
Benthin **RM, RMP, RL**
Coulisse **M, L**

Sonesse 40 RTS 230 V

(1001574 - 3Nm | 30 U/Min.) **335,00 €**
(1001578 - 6Nm | 20 U/Min.) **361,00 €**
(1001582 - 9Nm | 12 U/Min.) **361,00 €**

minimum width of the roller blind: 610m*



system:
Benthin **RM, RMP, RL**
Coulisse **M, L**

Sonesse 40 io 230 V

(1003222 - 1,3Nm | 50 U/Min.) **387,00 €**
(1003224 - 3Nm | 30 U/Min.) **335,00 €**
(1003226 - 6Nm | 20 U/Min.) **368,00 €**
(1240605 - 9Nm | 12 U/Min.) **374,00 €**

minimum width of the roller blind: 607m*



MOTOR 230 V CABLE CONTROL



system:
Benthin **RM, RMP, RL**
Coulisse **M, L**

Sonesse 40 PA 230 V

(1001548 - 3Nm | 30 U/Min.) **233,00 €**
(1001549 - 6Nm | 20 U/Min.) **238,00 €**
(1001552 - 9Nm | 12 U/Min.) **246,00 €**

minimum width of the roller blind: 568m*

PHOTO. SOMFY

*The minimum dimensions of the roller blinds for the respective motor models can be found in the table on page 31.



MOTORS AND CONTROLS



POWER SUPPLY 12 V



Charger

For LI-ION batteries:
Sonesse 28 WF RTS
Sonesse ULTRA 30 WF RTS

(9021028)

33,00 €



Charger USB-C Li-ion 2

(9028921)

29,00 €



POWER SUPPLY 24 V



Power Supply 230 / 24 V DC, 1 A

(1870279)

71,00 €



SOMFY Power 24V DC Flush 24 V DC, 1.0 A

(1870274)

180,00 €



POWER 1,5

group power supply unit, 24 V,
wire is in set

(1870149)

103,00 €



POWER 2,5

group power supply unit

(1870157)

419,00 €



POWER 2,7

group power supply unit
24 V

(1870156)

271,00 €



ANIMEO DC

group power supply unit
24 V, 4,5 A

(1860093)

368,00 €



WIRE CONTROL 24 V



Inis DC 24 V

switch with power supply

(1870071)

187,00 €

frame not included

MOTORS AND CONTROLS



WIRE CONTROL 230 V



Smoove Uno WT
switch 230 V

(1800508)
33,00 €




Smoove Duo WT
switch 230 V

(1800506)
46,00 €



Smoove Uno IB+
switch 230 V
(1811203 - pure)
(1811204 - silber)
(1811205 - schwarz)
123,00 €

frame not included



Smoove Origin IB+
switch 230 V

(1811272)
65,00 €

frame not included



Chronis Smoove Uno
switch 230 V

(1805268)
206,00 €

frame is in set



TR2-U-E-230
separating raley

(1822200)
81,00 €



WIRELESS CONTROL IN THE RTS TECHNOLOGY



Smoove 1 RTS II
Switch

(1871355)
70,00 €



Smoove 4 RTS II
Switch

(1871375)
130,00 €



Situo 1 Pure RTS
1-channel remote control
white*

(1870403)
€ 68,00



Situo 5 Pure RTS
5-channel remote control
white*

(1870419)
€ 103,00



Telis Chronis Pure 6 RTS
6-channel remote control
with LED screen
white*
(1805215)
271,00 €



Telis 16 Pure RTS
16-channel remote control
white*
(1811079)
233,00 €

* other colors are available



MOTORS AND CONTROLS



CONTROLS IN THE io-homecontrol TECHNOLOGY



Situio 1 io II
1-channel remote control
pure *

(1870312)
62,00 €




Situio 5 io II
5-channel remote control
pure *

(1870328)
105,00 €



Ysia Patio io
16-channel remote control
(1871289) - pure
(1871289) - anthracite
185,00 €



frame is in set

Smoove Origin io
wireless radio transmitter
(1811003 - Single-channel wireless switch)
84,00 €
(1800205 - Four-channel wireless switch)
121,00 €



MOTORS AND CONTROLS



RECEIVERS RTS 24 V



Modulis DC
external radio-broadcast
receiver RTS, 24 V

(1870138)
169,00 €



CONTROL CENTRE



TaHoma® Switch
Smart home control centre

(1870594)
220,00 €



FRAMES



PURE frame
(9015022)
6,50 €



BLACK frame
(9015023)
15,50 €



SILVER frame
(9015025)
15,50 €



PURE double frame
(9015238)
10,30 €



MOTORS AND CONTROLS



MOTORS



BATTERY MOTORS

RADIO / BI-DIRECTIONAL CONTROL



BLEM 25

1,1 Nm | 28 U / Min. | 12 V | USB-C



system:
Bentlin **RC, RM**
Coulisse **S, M**

168,00 €

minimum width of the roller blind: 590 mm*

BLE 35

13 Nm | 10 U / Min. | 12 V | USB-C



system:
Bentlin **RM, RMP, RL**
Coulisse **M, L**

285,00 €

minimum width of the roller blind: 780 mm*

BLEQ28

2 Nm | 28 U / Min. | 12 V | USB-C



system:
Bentlin **RM, RMP, RL**
Coulisse **S, M, L**

245,00 €

minimum width of the roller blind: 760 mm*



BLEMQ35 Matter

6 Nm | 24 U / Min. | 5 V | USB-C

13 Nm | 11 U / Min. | 5 V | USB-C



system:
Bentlin **RM, RMP, RL**
Coulisse **M, L**

290,00 €

minimum width of the roller blind: 780 mm*



MOTOR 230V

RADIO / BI-DIRECTIONAL CONTROL

BPE 25

1,5 Nm | 32 U / Min. | 230 V



system:
Bentlin **RC, RM**
Coulisse **S, M**

168,00 €

minimum width of the roller blind: 575 mm*



BEMQ35 Matter

6 Nm | 28 U / Min. | 230 V

10 Nm | 17 U / Min. | 230 V



system:
Bentlin **RM, RMP, RL**
Coulisse **M, L**

215,00 €

minimum width of the roller blind: 780 mm*

BPEQ28

2 Nm | 28 U / Min. | 230 V



system:
Bentlin **RM, RMP, RL**
Coulisse **M, L**

250,00 €

minimum width of the roller blind: 735 mm*



MOTOR 230V

CABLE CONTROL

MBQ35

6 Nm | 28 U / Min. | 230 V

10 Nm | 17 U / Min. | 230 V



system:
Bentlin **RM, RMP, RL**
Coulisse **M, L**

158,00 €

minimum width of the roller blind: 602 mm*

MS25

1,5 Nm | 32 U / Min. | 230 V



system:
Bentlin **RC, RM**
Coulisse **S, M**

173,00 €

minimum width of the roller blind: 535 mm*

MS 35-10

10 Nm | 17 U / Min. | 230 V



system:
Bentlin **RM, RMP, RL**
Coulisse **M, L**

147,00 €

minimum width of the roller blind: 566 mm*

*The minimum dimensions of the roller blinds for the respective motor models can be found in the table on page 71.



CONTROLS



„One” Remote control

Single channel remote control

(THW-3001) - white
(THW-3001) - black

57,00 €



„Multi” Remote control

15 channel remote control

(THW-3015) - white
(THW-3015) - black

69,00 €



„One” Switch

Single channel switch

(THW-3001)

53,00 €



„Multi Display” Switch

15-channel switch

(TWW-3015)

65,00 €



CONTROL CENTRE



BREL HOME Hub Bi-directional

Control panel with
app operation.

(DD-1554)

205,00 €



BREL HOME Hub Box Matter

Control hub for communication in
the Matter network

(HUB-04)

168,00 €



BREL HOME Hub Box Duo

Wifi Hub RS485

(HUB-02)

238,00 €

MOTORS AND CONTROLS



CONTROL FOR MOTOR 230V (MS25 i MBQ35)



Bi-directional-reciver

Enables wireless control of drives
via remote control


(DD-50)
67,00 €



Wall switch with integrated RTS

Control of drives possible via cable
and remote control

(DD-1690)
83,00 €



Group module for wired 230V drives

Parallel control of a group of roller shutters

(DC-209)
58,00 €



ACCESORIES



Cable with USB-A and USB-C connectors

3 m

(Z-48-300)
20,00 €



USB charger

(DC-220)
22,00 €



Cable with USB-A connector with magnetic plug

For charging rechargeable batteries
3 m

(Z-42-300M)
14,00 €



Adapter

With Micro-USB and USB-C connection
for connecting the solar panel
to the battery motor

(Z-48-004)
15,00 €



Black motor extension cable

with USB-C connector
5 cm

(Z-48-005)
16,00 €




Solar panel

with Micro-USB-connectors | without enclosure
475 x 50 x 10 mm

(DC-1288)
121,00 €

THE APPLICATION FOR CONTROLLING RADIO DRIVES/BI-DIRECTIONAL



TO CONTROL DRIVES THROUGH THE APP,
YOU WILL NEED BREL - HOME HUB (P.26)



MOTORS AND CONTROLS

coulisse
DECORATION SOLUTIONS



MOTOR FOR SMART ROLLER BLINDS



BATTERY MOTORS PULL MOTION



system Coulisse: **S**

CM-02

0,65 Nm | 34 U/Min. | 7,4 V | 750 mAh



Pull control

162,00 €

minimum width of the roller blind: 585 mm*



BATTERY POWERED BLUETOOTH / WI-FI / RADIO



system Coulisse: **S, M**

CM-03

1,1 Nm | 28 U/Min. | 12 V | 2600 mAh

206,00 €

minimum width of the roller blind: 668 mm*



system Coulisse: **M, L**

CM-05

6,0 Nm | 28 obr. | 5 V | USB-C

Pull control

275,00 €

minimum width of the roller blind: 790 mm*



system Coulisse: **M, L**

CM-06

6,0 Nm | 24 U/Min. | 12V | 3200 mAh

Pull control

330,00 €

Mindestbreite der Rollos: 726 mm*



Motionblinds **EVE MOTOR** WI-FI / RADIO



system Coulisse: **S, M**

CM-03-EVE

1,1 Nm | 28 obr. | 12 V | 2600 mAh | USB-C



Pull control

250,00 €

minimum width of the roller blind: 668 mm*



system Coulisse: **M, L**

CM-06-EVE

6,0 Nm | 24 obr. | 12 V | 3200 mAh | USB-C



Pull control

402,00 €

minimum width of the roller blind: 820 mm*

app-controlled:



MOTOR 230 V BLUETOOTH / WI-FI / RADIO



system Coulisse: **M, L**

CM-9-QC

4,0 Nm | 28 U/Min. | 230 V

225,00 €

minimum width of the roller blind: 705 mm*



system Coulisse: **M, L**

CM-10-QC

8,0 Nm | 15 U/Min. | 230 V

225,00 €

minimum width of the roller blind: 705 mm*

*The minimum dimensions of the roller blinds for the respective motor models can be found in the table on page 31.



MOTOR 230 V CABLE CONTROL



system Coulisse: M, L

CM-9 -MC
6,0 Nm | 28 U/Min. | 230 V

165,00 €
minimum width of the roller blind: 570 mm*



CONTROLS FOR SMART ROLLER BLINDS



CM-11
1-channel remote control

30,00 €




CM-12
5-channel remote control

42,00 €



CM-13
15-channel remote control

63,00 €



CM-16
4-channel wall switch

145,00 €



CM-18
1-channel wireless
hanging chain

49,00 €



CONTROL CENTRE



CM-19
control centre

252,00 €



CM-55
bridge Wi-Fi matter

250,00 €



CMD-01
Motion Wi-Fi-Bridge

158,00 €

*The minimum dimensions of the roller blinds for the respective motor models can be found in the table on page 31.

Motionblinds Bluetooth

Cordless and battery-powered


- Control the blinds directly from your smartphone via Bluetooth – with no additional costs for other devices.
- Control the blinds using the Motionblinds Bluetooth App, radio remote control, or the manual control button.
- Automate your blinds with timer settings – you can set timers for the blinds.
- The app is bidirectional – it shows the battery level and the current position of the blinds.
- Control one blind with up to 5 smartphones.




The app is free. Compatible with iOS 15 or Android 9. Register for free via the app.



Scan the QR code to connect the blind to the app.



Set the blind position using the app.



Set up 3 timers for the blind, e.g. to open and close the blind at selected times.

Motionblinds Eve

Cordless and battery-powered for Smart Home

- Control your blinds using smart home apps: Apple Home, Google Home, Amazon Alexa, Samsung SmartThings, or Home Assistant.
- Connect your blinds wirelessly to devices from other manufacturers in a simple and seamless way, creating scenes and automating your home.
- All you need is the appropriate smart home hub supporting Matter and Thread – we call it the Motionblinds Smart Bridge.



- Matter technology guarantees that devices from different manufacturers can communicate with each other.
- Control all your devices from one app, regardless of who made them.
- Connect your blinds wirelessly to thermostats, sensors, and other smart home devices.



- Thread technology provides a stable, low-power network for communication between smart home devices.
- The right Thread router allows you to control your blinds.
- Makes it easy and secure to add smart devices – even those without a QR code.

Created for connection with smart home apps and collaboration with devices from other manufacturers:



MINIMUM ROLLER BLIND DIMENSIONS FOR THE RESPECTIVE MOTOR SYSTEMS

SOMFY	NAME	TECHNICAL DATA	SOMFY -CATALOG NUMBER	MOTOR LENGHT	MINIMUM ROLLER BLIND WIDTH
	Roll Up 24 WireFree RTS	0,55 Nm / 38 U/Min. / 12 V / 800 mAh	1240279	473 mm	570 mm
	Sonnese 28 WT RTS	Li-Ion 12V 2600 mAh	1003296-1,1/28	546 mm	636 mm
	Sonnese Ultra 30 WF RTS	Li-Ion 12V 2600 mAh	1003311	650 mm	740 mm
	Sonnese 40 WF RTS Li-Ion	3 Nm 28 U/Min. 12 V 2600 mAh	12040486	650 mm	740 mm
	Roll up 28 WT	24 V	1002833	299 mm	390 mm
	Sonnese 40 RTS	3 Nm / 30 U/Min.	1003222	520 mm	610 mm
		6 Nm / 20 U/Min.	1001578	551 mm	641 mm
		9 Nm / 12 U/Min.	1001582	551 mm	641 mm
	Sonnese 40 io	1,3 Nm / 50 U/Min.	1003222	548 mm	638 mm
		3 Nm / 30 U/Min.	1003224	517 mm	607 mm
		6 Nm / 20 U/Min.	1003226	548 mm	638 mm
	Sonnese 40 PA	1,3 Nm / 50 U/Min.	1001548	478 mm	568 mm
		3 Nm / 30 U/Min.	1001549	510 mm	600 mm
		6 Nm / 20 U/Min.	1001552	510 mm	600 mm

BREL	NAME	TECHNICAL DATA	MOTOR LENGHT	MINIMUM ROLLER BLIND WIDTH
	BLEM 25	1,1 Nm / 28 U/Min. / 5 v / USB-C	694 mm	590 mm
	BLEQ 28	2 Nm / 28 U/Min. / 5 V / USB-C	670 mm	760 mm
	BLE 35	13 Nm / 10 U/Min. / 5 V / USB-C	690 mm	780 mm
	BLEMQ35 Matter	6 Nm / 25 U/Min. / 5 V / USB-C	694 mm	684 mm
		13 Nm / 11 U/Min. / 5 V / USB-C	690 mm	780 mm
	BPE25	1,5 Nm / 32 U/Min. / 230 V	485 mm	575 mm
	BPEQ28	10 Nm / 17 U/Min. / 230 V	476 mm	735 mm
	BEMQ 35	6 Nm / 28 U/Min. / 230 V	694 mm	784 mm
		10 Nm / 17 U/Min. / 230 V	690 mm	780 mm
	MBQ35	10 Nm / 17 U/Min. / 230 V	512 mm	602 mm
	MS 25	1,5 Nm / 32 U/Min. / 230 V	445 mm	535 mm
	MS 35-10	10 Nm / 17 U/Min. / 230 V	476 mm	566 mm

COULISSE	NAME	TECHNICAL DATA	MOTOR LENGHT	MINIMUM ROLLER BLIND WIDTH
	CM-02	0,65 Nm / 34 U/Min. / 7,4 V / 750 mAh / USB-C	495 mm	585 mm
	CM-03	1,1 Nm / 28 U/Min. / 12 V / 2600 mAh / USB-C	575 mm	668 mm
	CM-03-EVE	1,1 Nm / 28 U/Min. / 12 V / 2600 mAh / USB-C	575 mm	668 mm
	CM-06	0,6 Nm / 24 U/Min. / 12 V / 3200 mAh / USB-C	726 mm	820 mm
	CM-06-EVE	6,0 Nm / 24 U/Min. / 12 V / 3200 mAh / USB-C	726 mm	820 mm
	CM-05	2,0 Nm / 28 U/Min. / 5 V / 2600 mAh / USB-C	790 mm	805 mm
	CM-9-QC	4,0 Nm / 28 U/Min. / 230 V	615 mm	705 mm
	CM-10-QC	8,0 Nm / 15 U/Min. / 230 V	617 mm	705 mm
	CM-9-MC	6,0 Nm / 28 U/Min. / 230 V	483 mm	570 mm

GENERAL TERMS AND CONDITIONS OF WARRANTY

- 1** SHADOW-SYSTEM Sp. z o.o. with its seat in Kawle Dolne 4F, 83-304, Przodkowo, hereafter referred to as Guarantor, warrants good quality and smooth operation of a new product, according to standards provided for a given type of products, subject to their intended use, under normal conditions.
- 2** SHADOW-SYSTEM Sp. z o.o. provides the warranty for:
 - 36 months from the date of purchase system for pleated blind, roller blind venetian blinds,
 - 12 months from the date of purchase of fabrics, wooden and aluminium slats.
- 3** The warranty covers only defects in product resulting from the Manufacturer's fault. For such it shall be deemed the use of defective materials, production faults and construction errors.
- 4** During a physical reception of product in the Guarantor's headquarter or on the product delivery day by a freight company, the Buyer is obliged to check the quality, dimensions and the completeness of delivered product according to the order, otherwise the right to make a complaint regarding quality and delivery completeness will be forfeit.
- 5** Upon discovery of a defect in a product, the Buyer is obliged to notify it to the Guarantor within 14 days. Failure to comply with anyone of the above-mentioned conditions will result in losing the warranty rights.
- 6** All claims under the warranty are considered in the Guarantor's headquarter only (SHADOW-SYSTEM Sp. z o.o., Kawle Dolne 4F, 83-304 Przodkowo). The Parties shall individually agree on the way for returning a product to the above headquarter.
- 7** The basis for making a claim under the warranty is a properly filled in warranty card, original bill of purchase (receipt or invoice) and a completely filled in complaint document.
- 8** The completed complaint form, scanned bill of purchase as well as comprehensive photographic documentation shall be sent to the e-mail address: info@shadow-system.pl
- 9** Guarantor is obliged to investigate the legitimacy of a claim under the warranty within 14 days after receiving a written complaint, and in case if visual inspection of goods with defect is necessary, within 14 days after the date of returning goods to the Guarantor's headquarter.
- 10** Guarantor shall not be liable in case of:
 - mechanical damage or damage due to misuse or negligent handling, storing or using under improper conditions,
 - natural wear and tear of original elements, parts and accessories caused by their normal use,
 - modification of original product and interference into its structure by third parties, as well as use of other spare parts or accessories than those recommended by the Guarantor,
 - any repairs made by unauthorised personnel,
 - mounting inconsistent with good construction practices and with manufacturer's instructions, ,
 - use inconsistent with the user manual,
 - smells emitted by the product, coming from components used for the production (e.g. natural smell of bamboo slats),
 - natural small plane deformation of aluminium slats, wooden slats and fabrics surfaces,
 - differences in shades and texture of wooden slats due to natural characteristics of timber,
 - discolouration and other changes on the surface of elements caused by weather conditions,
 - differences in colours between a ready-made product and an outdated sampler or catalogue,
 - maintenance, cleaning the products, battery replacement in electrical components,
 - damage due to random incidents (fire, flood, lightning, low or too high temperatures and any other natural disasters).
- 11** Products exceeding minimum and maximum recommended dimensions specified in the technical information shall not be subject to the General Terms and Conditions of Warranty and are made to the sole responsibility of the Buyer. In such case the Guarantor shall make every effort to provide a fully functional product.
- 12** If the complaint is accepted, the Guarantor agrees to repair or replace the defective product as soon as possible.
- 13** Should a repair or replacement be impossible or should it require excessive costs, the Guarantor undertakes to take defective product back and return the purchase cost.
- 14** If the complaint is accepted and it is impossible to remove the manufacturing defects of the aluminium slats, wooden slats or fabrics because of e.g. withdrawal from the offer within the warranty period, the Guarantor may suggest a replacement for a colour-similar component.
- 15** In case the complaint is rejected, the product is returned at the Buyer's expense.
- 16** The warranty for the consumer goods within the meaning of the Act of 27.07.2002 on specific conditions of consumer sales and on the amendment to the Civil Code (Dz.U. 2002/141/1176), shall not exclude, limit or suspend the Customer rights when the provided product is inconsistent with the purchase agreement.



Shadow-System Sp. z o. o.

Kawle Dolne 4F
83-304 Przodkowo
tel. +48 58 550 08 80
fax. +48 58 550 76 52
info@shadow-system.pl
www.shadow-system.pl



Day/Night Roller Blinds
Priceliste