



# Day/Night Roller Blinds Retail Price list

[www.shadow-system.pl](http://www.shadow-system.pl)

01.03.2025





# SHADOW-SYSTEM RETAIL PRICE LIST INCLUDING VAT

**Remember you can have an influence on the design and content of our product brochures and price lists.**

We appreciate cooperation with our customers and we rely on open communication.

If you have any comments or ideas how to improve the materials prepared, we would be happy to get to know your opinion.

# TABLE OF CONTENTS

## FREE HANGING ROLLER BLINDS

DRM DECOMATIC® .....	05
Extra charges .....	07
DRS SMART .....	09
Extra charges .....	11

## MINI ROLLER BLINDS

DRN ULTIMATE .....	13
DRN BASIC & ULTIMATE Extra charges .....	15
Extra charges - electric drives and controls for free hanging roller blinds .....	16
General Terms and Warranty Conditions .....	24

HOW TO USE THE PRICE LIST?  
**IT'S SIMPLE!**  
FOLLOW THE INSTRUCTIONS BELOW!



## 01. Dimensions

Choose the system as well as the roller blind model and take the measurements.



## 02. Price

Find the price of given dimensions in the price table, according to the price group (**PG**) of the chosen fabric.






## 03. Extra charges

You will find extra charges for certain models, electric drives and controls and optional accessories in the extra charge section.



## 04. Important

Note the icons.    code 1234  
You will find their meaning at the bottom of pages in the further part of the price list. If you have any questions, please contact our Customer Service.

# DECOMATIC® MEDIUM



## Important

Detailed information concerning the dimensions of cassette, components and structures of Day/ Night window blind system can be found in the product folder. The folder is also available in the electronic version at our website.



## Basic table and extra charges

Basic table for models:  
**DRM11** (page 06-07).

Extra charges for support profile and cassettes for models:  
**DRM12, DRM13, DRM62, DRM63** (page 07).

Extra charges for models with electric motors:  
**DRM61, DRM62, DRM63** (page 23).

## Informations

- 1 For the purpose of calculation, the total external dimensions of the window blind are considered together with side caps.
- 2 The window blind is mounted on the wall, ceiling or within the window niche using clips or corner profiles. The ready window blind set will include a set of standard components for the installation of the specific model. Information concerning standard fixing grips for the specific window blind models can be found in the product folder.
- 3 In Day/ Night window blinds, the horizontal darkening stripes are usually arranged in such a way that when the fabric is fully lowered they cause the room to be darkened. In case of window blinds hanging side by side, if they would have different heights, the horizontal stripes may be on different levels in each of the blinds. At a special customer request, it is possible to arrange the fabric stripes in both window blinds on the same level. However, in such case, in the completely lowered position the stripes may not be in the closed position. More information can be found on page 22 in the product folder.



## Colours of the MEDIUM profiles

**RAL  
9016**

POWDER COATED  
IN WHITE

**E6/EV1**

ANODISED  
IN SILVER

**RAL  
9005**

POWDER COATED  
IN BLACK


# ROLLER BLINDS DAY/NIGHT

# DRM-MEDIUM DAY/NIGHT ROLLER BLINDS

FREE HANGING  
ROLLER BLINDS  
DECOMATIC®

## BASIC TABLE

Recommended retail prices including VAT



Recommended maximum width\*: 280 cm.  
Recommended maximum height\*: 300 cm.  
Types of operation\*: endless chain, electric motor  
Mounting: wall, ceiling, window recess  
Roller tube: Ø 29 mm, Ø 38 mm, Ø 44 mm  
Operation length: 75% of roller blind height

\*Depending on a roller blind model and fabric.

Detailed information in the product brochure and fabric collection book.

		WIDTH																	
PG		100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270
100	S	143	153	162	175	185	195	205	216	227	255	271	285	302	315	332	345	361	375
	0	162	174	185	199	210	223	235	247	260	290	308	325	343	360	377	392	409	427
	1	185	199	213	229	243	259	271	287	302	335	355	374	393	413	433	451	470	490
110	S	151	159	171	182	194	205	215	227	237	266	283	298	314	330	347	362	377	393
	0	171	182	195	209	222	236	247	261	273	305	324	342	360	377	395	413	429	448
	1	197	210	225	242	258	273	288	305	320	353	374	395	415	435	456	476	495	517
120	S	157	168	179	192	203	215	224	239	248	278	294	312	329	344	362	377	392	409
	0	179	193	205	219	234	247	260	276	288	320	339	357	377	395	414	432	450	469
	1	206	223	239	255	271	289	305	322	338	372	393	416	438	458	480	500	520	543
130	S	163	176	187	200	212	224	236	248	259	290	308	325	342	357	375	391	409	427
	0	187	201	216	230	245	260	273	289	302	335	355	374	393	413	433	451	470	490
	1	217	235	251	269	287	305	321	340	355	391	415	437	458	481	504	524	548	571
140	S	171	182	195	207	221	234	246	259	271	302	320	336	355	372	390	406	424	441
	0	197	210	225	241	257	271	287	302	318	350	371	390	411	430	451	470	490	511
	1	228	246	264	283	301	320	338	356	374	411	434	457	481	504	528	550	573	597
150	S	179	192	203	217	229	243	257	270	283	314	332	349	368	386	405	423	440	458
	0	205	221	236	252	267	284	300	315	331	366	387	406	428	448	470	490	511	531
	1	240	258	277	297	314	335	354	373	392	430	454	477	503	525	552	576	598	622
160	S	183	198	212	225	239	252	266	282	293	326	345	363	382	399	420	437	454	475
	0	213	229	246	263	279	296	312	330	345	381	403	423	446	466	489	510	530	553
	1	248	269	289	309	330	350	369	391	410	450	475	499	524	549	576	600	624	650
170	S	192	205	218	235	247	263	277	291	306	339	356	375	395	414	434	452	471	490
	0	222	239	255	273	290	308	325	344	361	396	417	439	462	483	507	529	550	573
	1	260	281	301	324	344	366	386	409	429	469	494	519	546	572	598	624	649	676
180	S	199	212	227	242	258	272	287	302	318	349	369	388	409	428	448	468	487	508
	0	230	247	265	284	302	321	338	356	374	410	434	456	480	501	525	548	571	595
	1	271	291	313	336	357	382	403	426	447	487	514	541	570	595	622	648	675	704
190	S	204	221	235	251	266	282	297	313	327	361	382	402	422	444	464	483	503	523
	0	239	258	276	296	313	332	351	371	388	426	450	472	496	520	545	567	591	615
	1	281	305	326	350	373	396	419	444	465	506	535	561	590	619	646	675	702	729
200	S	212	227	242	260	276	291	307	325	340	373	395	414	437	457	477	498	518	540
	0	247	266	285	306	325	345	364	385	404	440	466	489	514	538	562	586	612	636
	1	291	315	339	364	387	413	435	461	483	525	555	583	613	642	669	699	727	756
PG		100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270



Prices in the table refer to following model:  
**chain-operated DRM11**  
Extra charges for other operation types on page 7.




Extra charges for **electric motors and controls** on pages 18 - 24.

		WIDTH																	
PG		100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270
210	S	219	235	251	267	284	301	318	335	350	385	406	428	451	471	493	513	534	556
	0	257	276	296	315	336	356	377	398	417	456	481	506	532	556	582	606	630	657
	1	303	326	351	377	402	427	452	477	501	545	574	603	636	664	693	723	752	783
220	S	224	242	259	277	293	311	327	345	362	397	420	440	464	486	508	529	549	572
	0	264	285	306	327	348	369	390	411	432	471	498	522	549	574	601	625	650	677
	1	312	339	364	391	416	444	468	494	519	564	596	625	657	686	718	747	777	809
230	S	231	249	267	285	302	321	338	356	374	409	432	453	477	499	520	543	565	588
	0	272	294	315	338	360	382	403	426	447	487	513	538	566	592	619	645	670	698
	1	324	350	377	404	430	458	483	512	538	583	615	645	679	709	741	772	803	835
240	S	240	257	273	294	311	330	349	367	385	420	445	466	490	513	536	559	582	604
	0	282	303	325	349	371	393	416	439	461	500	529	555	583	609	638	664	691	719
	1	335	362	388	417	445	474	501	530	556	601	636	667	700	732	765	796	830	863
250	S	246	264	283	302	321	340	360	378	396	432	457	479	504	525	552	574	597	621
	0	290	312	335	360	382	406	429	453	475	516	545	572	601	627	657	684	711	740
	1	345	373	402	430	459	489	517	548	574	620	656	687	723	754	789	823	855	889
260	S	252	271	290	311	330	349	369	388	408	445	469	493	517	540	565	588	614	638
	0	298	322	345	371	393	417	441	466	490	531	560	588	618	645	675	703	732	761
	1	355	386	414	446	474	504	534	564	594	640	675	709	743	777	812	847	880	916
270	S	260	279	298	320	339	360	378	399	419	456	482	506	531	554	580	604	627	653
	0	307	331	355	381	405	430	454	480	504	546	577	604	636	663	693	723	751	782
	1	367	396	427	458	488	519	550	580	612	660	697	729	766	801	836	872	907	941
280	S	266	287	307	327	348	369	388	410	430	469	494	518	543	570	595	620	644	669
	0	315	340	366	391	416	444	468	494	518	561	592	621	651	682	712	742	771	802
	1	377	408	439	471	503	536	565	598	628	679	716	751	788	824	860	896	932	969
290	S	272	294	314	336	356	378	398	422	441	480	506	531	558	583	608	634	660	686
	0	324	350	375	403	428	454	480	508	534	577	607	638	669	700	730	761	792	824
	1	387	420	452	486	517	550	582	616	648	698	734	771	809	847	884	920	957	995
300	S	281	302	324	344	366	388	410	432	453	493	519	543	571	597	624	649	676	703
	0	332	360	386	413	439	468	494	520	548	592	624	655	686	718	750	781	812	844
	1	398	432	465	498	531	566	600	633	666	717	756	793	831	869	908	944	983	1022
PG		100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270

## EXTRA CHARGES FOR SUPPORT PROFILE AND CASSETTE


(basic price table + extra charge)



		WIDTH																	
PG		100	110	120	130	140	150	160	170	180	190	200	210	220	230	240	250	260	270
CASSETTE		95	102	109	118	125	134	142	150	158	166	174	181	191	198	206	216	222	229

# DRM-MEDIUM DAY/NIGHT ROLLER BLINDS

## ADDITIONAL OPTIONS



**Side guiding**  
(nylon cords + standard  
bottom mounting parts)

**29,00 € /Set**



**„SIM“ bottom weight**  
in white or silver

**NO EXTRA CHARGES**



**Metal chain \***

**3,10 € /prm**  
of chain \*

\* operation chain length - (0,75 x roller blind height) x2

## ADDITIONAL ELEMENTS

index 2172



**MEDIUM clip**  
in white or alu

**1,70 € /pc**




index 2138



**Bracket 33mm**  
in white or alu.

**7,90 € /pc**

index 2142



**Adjustable Bracket**  
60 - 108 mm  
in white or alu colour.

**6,45 € /pc**  
 **7,25 € /pc**

index 2143



**Adjustable bracket**  
108 - 156 mm  
in white or alu

**15,25 € /pc**  
 **19,00 € /pc**

index 2144



**Adjustable bracket**  
156 - 204 mm  
in white or alu

**21,65 € /pc**  
 **24,15 € /pc**

index 2150



**Block holder**  
for side guiding  
white, grey or black

**7,50 € /pc**

index 2048



**Chain weight**  
white, grey, black

**2,30 € /pc**



Element used as a standard installation in certain type of roller blinds. It should not be included in the valuation - only if ordered separately. More information can be found in the Product Brochure.

index 1234

Additional elements were marked with indexes which can be used when placing orders. You can use the assigned index number instead of providing the full name of the element.

# DAY / NIGHT SMART S



## Important

Detailed information concerning the dimensions of cassette, components and structures of Day/ Night window blind system can be found in the product folder. The folder is also available in the electronic version at our website.



## Basic table and extra charges

Basic table for model:  
**DRSM-11S** (page 10 - 11)

Semi-open cassette extra charges:  
**DRSM-13S** (str. 11)

Extra charges for models with electric motors:  
**DRSM-61S, DRSM-63S** (page 22).



## Informations

- 1 For the purpose of calculation, the total external dimensions of the window blind are considered together with side caps.
- 2 The window blind is mounted on the wall, ceiling or within the window niche using clips or corner profiles. The ready window blind set will include a set of standard components for the installation of the specific model. Information concerning standard fixing grips for the specific window blind models can be found in the product folder.
- 3 In Day/ Night window blinds, the horizontal darkening stripes are usually arranged in such a way that when the fabric is fully lowered they cause the room to be darkened. In case of window blinds hanging side by side, if they would have different heights, the horizontal stripes may be on different levels in each of the blinds. At a special customer request, it is possible to arrange the fabric stripes in both window blinds on the same level. However, in such case, in the completely lowered position the stripes may not be in the closed position. More information can be found on page 22 in the product folder.



## Colours of the SMART S profiles

### Roller blind with support profile



WHITE



OFF-WHITE



ALUMINIUM



ANTHRACITE  
GREY



BLACK

### Blinds in a square cassette



WHITE



BLACK



ALUMINIUM

### Decorative set ( metal side caps, chain )



STAINLESS  
STEEL



ALUMINIUM



BLACK  
NICKEL




OLD  
BRASS

# DRSM- SMART DAY/NIGHT ROLLER BLINDS

FREE HANGIN  
ROLLER BLINDS  
COULISSE

## BASIC TABLE

Recommended retail prices including VAT



Recommended maximum width\* : 230 cm  
 Recommended maximum height\* : 260 cm  
 Types of operation\* : chain with connector, electric motor  
 Mounting: wall, ceiling, window recess  
 Roller Tube: Ø 28 mm, Ø 30 mm, Ø 35 mm  
 Operation length: 75% of roller blind height

		WIDTH															
PG		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230
80	S	101	110	117	124	132	139	146	155	162	170	177	184	192	206	214	226
	O	119	129	139	149	159	168	178	188	199	209	219	229	239	256	266	280
	I	134	146	159	171	183	196	208	219	231	244	256	268	281	300	311	328
90	S	107	114	122	130	138	146	154	162	170	178	185	193	202	217	225	238
	O	125	136	147	157	168	180	191	201	212	223	233	244	255	272	283	298
	I	142	156	170	182	196	209	223	237	248	262	276	288	302	322	335	352
100	S	111	119	128	136	143	153	161	170	178	185	195	203	212	227	237	250
	O	133	143	155	167	178	189	202	213	224	237	247	259	271	289	301	317
	I	151	166	180	195	209	223	238	251	266	281	294	309	323	344	359	377
110	S	115	124	133	141	150	160	168	177	185	195	204	213	222	238	247	261
	O	139	151	163	176	188	201	213	225	238	250	262	275	287	306	318	335
	I	160	176	191	206	222	238	252	267	283	298	314	329	345	366	382	401
120	S	119	129	138	147	156	166	176	184	195	203	213	223	231	248	259	272
	O	145	159	172	184	198	210	224	238	250	264	276	289	303	323	336	353
	I	168	185	202	218	235	251	267	283	301	317	332	350	366	388	406	426
130	S	124	134	143	154	163	174	183	192	202	212	222	231	241	260	269	285
	O	153	166	180	193	208	222	235	248	264	277	290	304	319	339	353	371
	I	177	196	213	230	247	265	282	300	318	335	352	370	387	410	429	450
140	S	128	138	149	159	170	180	189	201	210	220	231	241	252	269	281	296
	O	159	174	188	203	218	231	246	261	276	290	306	321	335	356	371	389
	I	187	205	223	241	260	279	297	315	334	352	371	389	408	433	451	473
150	S	135	146	157	168	180	191	202	213	224	235	246	258	269	281	292	307
	O	168	183	199	216	231	246	262	279	294	309	325	342	357	372	388	408
	I	197	218	238	258	277	297	317	336	356	376	395	415	435	455	475	498
160	S	141	153	164	176	188	201	212	224	235	247	260	271	283	294	307	318
	O	176	193	209	226	243	260	276	293	309	327	343	360	376	393	409	427
	I	208	229	250	271	292	313	334	355	376	397	418	439	460	481	502	523
170	S	145	157	170	182	195	206	219	231	244	256	268	281	293	306	318	330
	O	182	201	218	235	252	269	287	306	323	340	357	374	392	410	428	445
	I	217	238	260	282	304	327	349	371	393	414	436	458	481	503	525	548
180	S	150	162	175	188	201	213	226	239	252	265	277	290	303	315	329	342
	O	189	208	225	244	262	281	300	317	335	353	372	391	408	427	445	464
	I	225	247	271	294	318	340	364	387	409	433	456	479	502	525	549	571
190	S	154	167	181	193	206	220	234	246	260	273	287	300	313	327	340	352
	O	196	216	234	252	272	290	310	329	349	367	386	406	424	444	462	481
	I	234	258	282	306	330	355	378	403	427	451	475	499	523	548	573	596
200	S	157	172	185	199	213	226	240	255	268	282	296	309	323	336	351	365
	O	203	223	243	262	282	302	322	342	361	381	401	420	440	460	479	499
	I	243	267	293	318	343	368	393	419	444	469	494	519	545	570	595	620
PG		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230

\* Depending on a roller blind model and fabric.  
 Detailed information in the product brochure and fabric collection book.



Prices in the table refer to following model:  
**chain-operated DRSM-11S**  
 Extra charges for other operation types on page 11.




Extra charges for **electric motor and controls**  
 on page 22.

		WIDTH															
PG		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230
210	S	162	176	191	205	219	234	247	262	276	290	304	319	332	348	363	376
	0	209	230	250	271	292	311	332	353	373	394	415	435	456	477	497	518
	1	251	277	303	330	356	382	408	435	461	487	513	540	566	592	618	645
220	S	166	181	196	210	225	240	255	269	285	300	314	329	344	357	372	387
	0	216	238	259	280	302	323	344	366	387	408	429	451	472	493	515	536
	1	260	287	314	342	368	395	423	451	478	506	533	560	587	615	641	668
230	S	171	185	202	217	231	246	262	277	292	308	323	338	353	368	384	399
	0	223	245	267	289	310	332	355	377	399	422	444	466	489	511	533	555
	1	268	297	325	353	382	410	439	468	494	523	552	580	608	637	665	693
240	S	175	191	206	223	238	254	269	285	301	317	331	348	364	380	394	410
	0	229	252	275	298	321	344	366	389	413	435	458	481	504	527	550	574
	1	277	307	336	365	394	424	454	483	512	541	571	601	629	659	688	718
250	S	180	196	212	227	244	260	276	293	309	325	342	357	373	389	406	422
	0	235	260	283	307	330	353	378	402	426	449	472	497	520	544	567	591
	1	286	317	346	377	408	437	469	499	529	560	590	620	651	681	711	743
260	S	183	201	217	234	250	267	283	301	317	334	350	367	384	401	416	434
	0	243	267	290	315	340	365	389	414	437	462	487	512	536	561	584	609
	1	294	327	357	389	420	451	483	514	546	577	609	640	672	703	735	766
PG		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230


## CASSETTE EXTRA CHARGES

(basic table price + extra charge for cassette)




		WIDTH															
CASSETTE		80	90	100	110	120	130	140	150	160	170	180	190	200	210	220	230
		102	109	116	123	131	139	147	154	162	170	178	186	194	202	209	218

## ADDITIONAL OPTIONS



**Side guiding**  
(nylon cords + standard  
bottom mounting parts)

**85,00 € /Set**



**„SIM“ bottom weight**  
in white or silver

**NO EXTRA CHARGES**



**Metal chain\***  
with chain connector /  
endless chain

**3,10 € /mb.**



**Metal decorative set**  
(metal side caps and metal  
chain, colours - page 24)

**86,00 € /Set.**

\* Operation chain length - (0,75 x roller blind height) x2

# MINI DAY/NIGHT ROLLER BLINDS



## Important

Detailed information concerning the dimensions of cassette, components and structures of Day/ Night window blind system can be found in the product folder. The folder is also available in the electronic version at our website.



## Colours of the MINI ROLLER BLINDS profiles

### Basic:



WHITE



ANTHRACITE



BROWN

### Ultimate:



WHITE




SILVER

### Basic & Ultimate:




GOLD OAK



MOOR OAK



WALNUT



MAHOGANY



WINCHESTER



## Basic table and extra charges

Basic table for model:  
**DRN ULTIMATE** (P. 13-14)

Extra charges for models:  
**DRN BASIC i DRN ULTIMATE** (P. 15)



## Informations

- 1 For the purpose of calculation, please use the order dimensions of window blinds. Both for DRN BASIC as well as DRN ULTIMATE window blinds these will be the dimensions of the fabric.
- 2 Window wing-mounted blinds are fixed to window beads or to the window wing frame using mounting screws provided with the product. Side covers are fixed to the window beads using robust double-sided tape.
- 3 For DRN BASIC and DRN ULTIMATE models, the set includes PVC side covers. For DRN ULTIMATE window blinds, aluminium side covers are also available for an additional charge.
- 4 For windows with semi-circular window beads, a PVC bow side cover can be used.

ROLLER BLINDS DAY/NIGHT


# DRN-DAY/NIGHT ROLLER BLINDS ULTIMATE

**coulisse**  
DECORATION SOLUTIONS

## MINI ROLLER BLINDS

### BASIC TABLE

Recommended retail prices including VAT



Recommended maximum width\*: 150 cm.  
Recommended maximum height\*: 220 cm.  
Types of operation: chain  
Cassette: aluminium  
Covering profiles: PCV.  
Mounting: window frame  
Operation length: 75% of roller blind height

		WIDTH												
PG		30	40	50	60	70	80	90	100	110	120	130	140	150
30	S	44	49	53	58	63	68	73	79	84	89	95	100	106
	O	59	65	73	79	86	93	99	106	112	120	126	132	140
40	S	46	51	56	61	67	72	77	83	89	94	100	106	112
	O	59	65	73	79	86	93	99	106	112	120	126	132	140
50	S	47	53	58	64	69	75	80	86	93	99	105	112	119
	O	62	69	77	84	91	99	106	114	121	128	136	143	151
60	S	49	54	61	67	73	78	85	91	98	104	111	117	125
	O	64	73	80	89	98	105	114	121	130	137	146	153	162
70	S	51	57	63	69	75	82	89	95	103	109	116	123	131
	O	67	77	85	94	103	111	120	128	137	147	156	164	173
80	S	52	58	65	72	78	85	93	100	106	114	122	130	137
	O	69	79	89	99	107	117	127	136	146	156	164	174	184
90	S	53	61	67	74	82	89	96	104	111	119	127	135	143
	O	73	83	93	103	112	123	133	143	154	164	174	184	195
100	S	56	62	69	77	84	91	100	107	116	125	132	141	149
	O	75	85	96	107	119	130	140	151	162	173	184	194	205
110	S	57	64	72	79	88	95	104	112	121	130	138	147	156
	O	78	89	100	112	123	135	147	158	169	182	193	204	216
120	S	58	67	74	82	90	99	107	116	125	135	143	153	162
	O	80	91	104	116	128	141	153	165	178	190	201	214	226
130	S	59	68	77	85	94	103	111	121	130	140	148	158	168
	O	82	95	107	121	133	147	159	173	185	198	211	224	237
140	S	62	70	79	88	96	106	115	125	135	144	154	164	175
	O	84	98	111	125	138	152	165	179	193	206	220	233	247
150	S	63	72	82	90	100	109	119	128	138	149	159	170	182
	O	86	101	115	130	143	158	172	186	200	215	228	243	257
160	S	64	74	83	93	103	112	122	133	143	154	165	177	188
	O	89	104	119	133	148	163	178	193	207	222	237	252	267
PG		30	40	50	60	70	80	90	100	110	120	130	140	150

\* Depending on a roller blind model and fabric.  
Detailed information in the product brochure and fabric collection book.


		WIDTH												
PG		30	40	50	60	70	80	90	100	110	120	130	140	150
170	S	67	75	85	95	105	116	126	137	148	159	170	182	194
	0	91	107	122	138	153	169	184	200	215	231	246	262	277
180	S	68	78	88	98	109	120	131	142	153	164	177	188	200
	0	94	110	126	142	158	174	190	206	222	238	254	270	287
190	S	69	80	90	101	111	122	135	146	157	169	182	194	206
	0	96	112	130	146	163	179	196	212	230	246	263	279	296
200	S	70	82	93	104	115	126	138	149	162	174	186	200	212
	0	99	115	133	151	167	184	201	219	237	254	270	288	305
210	S	73	84	95	106	117	130	142	154	167	179	193	206	219
	0	100	119	136	154	172	190	207	226	243	262	279	298	315
220	S	74	85	98	109	121	133	146	158	172	184	198	211	226
	0	103	121	140	158	177	195	214	232	251	269	288	306	325
	1	127	153	179	205	231	258	283	309	335	361	385	411	436
PG		30	40	50	60	70	80	90	100	110	120	130	140	150

## MAXIMUM HEIGHTS FOR MINI ROLLER BLINDS

LP	COLLECTION NAME	DRN BASIC	DRN ULTIMATE	PAGE IN BROCHURE
1	Zakynthos	1300	1900	1-2
2	Organza	1300	1900	3
3	De Lux	2200	2200	4
4	Rhodos	1100	1400	5
5	Hydra	1800	2200	6
6	Elegant (0-1770, 01771, 0-1772, 0-1773)	2200	2200	7
7	Elegant (0-1774, 01775, 0-1776, 0-1777, 0-1778)	1400	2100	7
8	Ikaria	1600	2200	8
9	Passion	1800	2200	9
10	Honey	1600	2200	10
11	Strato	1300	1900	10
12	Flower	900	1100	11
13	Naxos	500	900	12
14	Bahama (S-1470, S-1472, S-1473, S-1474, S-1475, S-1476, S-1477, S-1478, S-1479, S-1480, S-1481, S-1482)	1500	2100	13
15	Bahama (0-1472, 0-1483, 0-1484, 0-1485)	900	1300	13
16	Lusano Wide	1100	1600	14
17	Riga Duo Wide	900	1400	15
18	Ontario Wide	1200	1800	16
19	Bahama Wide	1200	1800	16
20	Jersey Wide	-	-	17
21	Bahama Dim-Out	1000	1500	18
22	Heban (0-1731, 01734, 0-1736, 0-1737)	800	1200	19
23	Heban (0-1730, 01732, 0-1733, 0-1735, 0-1738)	1100	1600	19
24	Patmos	1200	1700	20
25	Roma	600	900	21
26	Milano	1300	1800	22
27	Milano II	1300	1800	23
28	Venezia	900	1300	24

# BASIC & ULTIMATE ROLLER BLINDS

EXTRA CHARGE



Woodgain looking cassette  
and covering profiles  
(standard and arch)  
golden oak, walnut,  
winchester, mahogany,  
moor oak.

		WIDTH												
		30	40	50	60	70	80	90	100	110	120	130	140	150
HEIGHT	30	8	10	10	11	12	13	16	17	18	19	20	21	23
	40	8	10	11	12	13	16	17	18	19	20	21	23	24
	50	10	11	12	13	16	17	18	19	20	21	23	24	27
	60	11	12	13	14	16	18	18	19	21	23	24	27	28
	70	12	13	14	16	17	18	19	21	23	24	27	28	30
	80	13	13	16	17	18	19	20	21	24	24	28	29	31
	90	14	16	17	18	19	20	21	24	27	28	29	30	32
	100	16	17	18	19	20	21	23	24	28	29	30	32	32
	110	17	18	19	20	21	23	24	27	28	30	31	33	35
	120	17	19	20	20	23	24	27	28	30	31	32	33	36
	130	19	19	20	21	24	27	28	29	31	32	33	35	37
	140	19	20	23	23	27	28	30	31	32	33	35	36	37
	150	20	21	23	24	27	29	31	31	33	35	36	37	38
	160	21	23	24	27	29	30	31	33	33	36	37	38	41
170	23	24	27	28	30	31	32	33	35	37	38	39	42	
180	24	27	28	29	31	32	33	35	36	38	39	41	45	
190	27	28	30	30	31	33	35	36	38	39	41	45	46	
200	27	29	30	31	33	35	36	37	39	39	42	46	47	
210	29	30	31	32	35	35	37	38	39	41	45	47	48	
220	30	31	32	33	35	37	38	39	41	45	46	48	49	
		WIDTH												
		30	40	50	60	70	80	90	100	110	120	130	140	150



Arch covering PCV profile  
white, brown, anthracite grey  
and woodgain looking

**NO EXTRA CHARGE**

Alternative option for PCV covering profiles



Aluminum covering profile  
white and anodised  
in silver

**10,00€ /prm.**

# MOTORS AND CONTROLS



## MOTORS



### BATTERY MOTOR RTS CONTROL



**Sonesse 28 WF RTS Li-Ion**  
1,1 Nm | 20 U / Min. | 12 V | 2600 mAh

(1003296 - 1,1/28)

**260,00 €**

minimum width of the roller blind: 0,64m



**Sonesse ULTRA  
30 WF RTS Li-Ion**  
2 Nm | 10-28 U / Min. | 12 V | 2600 mAh

(1003311)

**279,00 €**

minimum width of the roller blind: 0,75m



**zigbee**  
**Sonesse 2 28 Zigbee**  
Li-Ion | 12 V | 2600 mAh

(11245944)

**280,00 €**



**zigbee**  
**Sonesse 2 ULTRA 30 Zigbee Li-Ion**  
12 V | 2600 mAh

(1245933)

**330,00 €**



**Sonesse 40 WF RTS Li-Ion**  
3Nm | 28U / Min. | 12 V | 4600 mAh

(1240486)

**441,00 €**



**zigbee**  
**Sonesse 40 Zigbee**  
3Nm | 28U / Min. | 12 V | 4600 mAh

(1245994)

**580,00 €**



### MOTOR 24 V



**Roll Up 28 WT**  
0,8 Nm | 28 U / Min. | 24 V

(1002833)

**220,00 €**

minimum width of the roller blind: 0,64m



**zigbee**  
**Roll Up 24 Zigbee**  
24 V

(12460636)

**205,00 €**



### MOTOR 230 V RTS / IO CONTROL



**Sonesse 40 RTS**  
230 V

(1001574 - 3Nm | 30 U/Min.) **319,00 €**

(1001578 - 6Nm | 20 U/Min.) **344,00 €**

(1001582 - 9Nm | 12 U/Min.) **344,00 €**

minimum width of the roller blind: 0,64m



**Sonesse 40 io**  
230 V

(1003222 - 1,3Nm | 50 U/Min.) **369,00 €**

(1003224 - 3Nm | 30 U/Min.) **338,00 €**

(1003226 - 6Nm | 20 U/Min.) **350,00 €**

(1240605 - 9Nm | 12 U/Min.) **356,00 €**

minimum width of the roller blind: 0,64m

**zigbee**

**Sonesse 40 R1 Zigbee**  
230 V



(1245917 - 3/30)

**350,00 €**

(1245918 - 6/20)

**372,00 €**

(1245919 - 9/12)

**368,00 €**



# MOTORS AND CONTROLS

## MOTOR 230 V CABLE CONTROL



### Sonesse 40 PA 230 V

(1001548 - 3Nm | 30 U/Min.) **211,00 €**

(1001549 - 6Nm | 20 U/Min.) **216,00 €**

(1001552 - 9Nm | 12 U/Min.) **223,00 €**

minimum width of the roller blind: 0,57m



## POWER SUPPLY 12 V



### Charger

For LI-ION batteries:  
Sonesse 28 WF RTS  
Sonesse ULTRA 30 WF RTS

(9021028)

**31,00 €**



## POWER SUPPLY 24 V



### Power Supply 230 / 24 V DC, 1 A

(1870279)

**68,00 €**



### SOMFY Power 24V DC Flush 24 V DC, 1.0 A

(1870274)

**171,00 €**



### POWER 1,5 group power supply unit, 24 V, wire is in set

(1870149)

**98,00 €**



### POWER 2,5 group power supply unit

(1870157)

**399,00 €**



### POWER 2,7 group power supply unit 24 V

(1870156)

**258,00 €**



### ANIMEO DC group power supply unit 24 V, 4,5 A

(1860093)

**350,00 €**



## WIRE CONTROL 24 V



### Inis DC 24 V switch with power supply

(1870071)

**178,00 €**

frame not included

# MOTORS AND CONTROLS



## WIRE CONTROL 230 V



**Smoove Uno WT**  
switch 230 V

(1800508)  
**31,00 €**




**Smoove Duo WT**  
switch 230 V

(1800506)  
**44,00 €**



**Smoove Uno IB+**  
switch 230 V  
(1811203 - pure)  
(1811204 - silber)  
(1811205 - schwarz)  
**117,00 €**


frame not included



**Smoove Origin IB+**  
switch 230 V

(1811272)  
**62,00 €**

frame not included



**Chronis Smoove Uno**  
switch 230 V

(1805268)  
**196,00 €**

frame is in set



**TR2-U-E-230**  
separating raley

(1822200)  
**77,00 €**



## WIRELESS CONTROL IN THE RTS TECHNOLOGY



frame is in set

**Smoove Origin RTS**  
wall surface-mount switch  
(1811045 - Single-channel wireless switch)  
**59,00 €**  
(1800223 - Dual-channel wireless switch)  
**94,00 €**  
(1800295 - Four-channel wireless switch)  
**115,00 €**



**Telis 16 Pure RTS**  
16-channel remote control \*

(1870403)  
**€ 77,00**



**Situ 1 RTS II**  
1-channel remote control  
pure \*

(1870419)  
**€ 98,00**



**Situ 5 RTS II**  
5-channel remote control  
pure \*

(1805215)  
**258,00 €**

**Telis Chronis Pure 6 RTS**  
6-channel remote control \*

(1811079)  
**222,00 €**

\* other colors are available



# MOTORS AND CONTROLS



## CONTROLS IN THE io-homecontrol TECHNOLOGY



**Situ 1 io II**  
1-channel remote control  
pure \*

(1870312)  
**62,00 €**



**Situ 5 io II**  
5-channel remote control  
pure \*

(1870328)  
**105,00 €**



frame is in set

**Smoove Origin io**  
wireless radio transmitter  
(1811003 - Single-channel wireless switch)  
**80,00 €**  
(1800204 - Dual-channel wireless switch)  
**94,00 €**  
(1800205 - Four-channel wireless switch)  
**115,00 €**



## DRAHTLOSE STEUERUNG IN DER ZIGBEE TECHNOLOGIE



**zigbee**  
**Ysia 1 Zigbee**  
1-channel remote control  
white

(1871397)  
**65,00 €**



**zigbee**  
**Ysia 5 Zigbee**  
5-channel remote control  
white

(1871399)  
**85,00 €**



## RECEIVERS RTS 24 V



**Modulis DC**  
external radio-broadcast  
receiver RTS, 24 V

(1870138)  
**161,00 €**



## CONTROL CENTRE



**TaHoma® Switch**  
Smart home control centre

(1870594)  
**286,00 €**



## FRAMES



**PURE frame**  
(9015022)  
**6,20 €**



**BLACK frame**  
(9015023)  
**14,80 €**



**SILVER frame**  
(9015025)  
**14,80 €**



**PURE double frame**  
(9015238)  
**9,80 €**

\* other colors available

PHOTO: SOMFY

RECOMMENDED RETAIL PRICES INCLUDING VAT / 19

# MOTORS AND CONTROLS

**coulisse**  
DECORATION SOLUTIONS



## MOTORS FOR SMART ROLLER BLINDS



**Coulisse CM-02**  
8 V

**154,00 €**



**Coulisse CM-03**  
12 V

**196,00 €**



## CONTROLS FOR SMART ROLLER BLINDS



**CM-11**  
1-channel remote control

**27,00 €**




**CM-12**  
5-channel remote control

**38,00 €**



**CM-13**  
15-channel remote control

**57,00 €**



**CM-16**  
4-channel wall switch

**129,00 €**



**CM-18**  
1-channel wireless hanging chain

**47,00 €**



**CM-19**  
control centre

**203,00 €**



**CMD-01**  
Motion Wi-Fi-Bridge

**142,00 €**



**CM-20**  
Wi-Fi Bridge

**142,00 €**



# MOTORS AND CONTROLS



## MOTORS



### BATTERY MOTORS

RADIO / BI-DIRECTIONAL CONTROL



**BREL Lio BLE 25**  
1,1 Nm | 28 U / Min. | 12 V | USB-C

systems: RC, RM

**160,00 €**



**BREL Lio BLEQ28**  
2 Nm | 28 U / Min. | 12 V | USB-C

systems: RM, RMP, RL

**260,00 €**



**BREL Lio BLEQ35**  
6 Nm | 24 U / Min. | 12 V | USB-C

systems: RM, RMP, RL

**300,00 €**




**BREL Lio BLE 35**  
13 Nm | 10 U / Min. | 12 V | USB-C

systems: RM, RMP, RL

**290,00 €**




 **matter**  
**BREL Matter BLEQ35**  
6 Nm | 24 U / Min. | 5 V

systems: RM, RMP, RL

**315,00 €**



 **matter**  
**BREL Matter BLEM35**  
13 Nm | 10 U / Min. | 5 V

systems: RM, RMP, RL

**305,00 €**



### MOTOR 230 V

RADIO / BI-DIRECTIONAL CONTROL



**BREL Nino BPE 25**  
1,5 Nm | 32 U / Min. | 230 V

systems: RC, RM

**160,00 €**



**BREL Vesta BPEQ28**  
2 Nm | 28 U / Min. | 230 V

systems: RM, RMP, RL

**252,00 €**



**BREL Ezio BEQ35**  
6 Nm | 28 U / Min. | 230 V  
**190,00 €**

systems: RM, RMP, RL

10 Nm | 17 U / Min. | 230 V



 **matter**  
**BREL Matter BEMQ35**  
6 Nm | 28 U / Min. | 230 V  
**205,00 €**

systems: RM, RMP, RL

10 Nm | 17 U / Min. | 230 V

# MOTORS AND CONTROLS



## 230V-ANTRIEBE KABELSTEUERUNG



**BREL Ezio MBQ35**  
6 Nm | 28 U / Min. | 230 V  
**150,00 €**

systems: RM, RMP, RL

10 Nm | 17 U / Min. | 230 V  
**150,00 €**



**BREL Ezio MS 25**  
1,5 Nm | 32 U / Min. | 230 V

systems: RC, RM

**165,00 €**



**BREL Ezio MS 35-10**  
10 Nm | 17 U / Min. | 230 V  
**140,00 €**

systems: RM, RMP, RL



## CONTROLS



**„One“ Remote control**  
Single channel remote control

(DD-2700)  
**50,00 €**



**„Multi“ Remote control**  
15 channel remote control

(DD-2702)  
**60,00 €**



**„One“ Switch**  
Single channel switch

(DD-2770)  
**47,00 €**



**„Multi Display“  
Switch**  
15 channel switch

(DD-2773)  
**55,00 €**



**BREL HOME Hub**  
Bi-directional  
Control panel with  
app operation.

(DD-1554)  
**196,00 €**



## CONTROLS FOR 230 V MOTORS (MS25 i MBQ35)



**Bi-directional-reciver**

Enables wireless control of drives  
via remote control.


(DD-50)  
**64,00 €**



**Wall switch with  
integrated RTS.**

Control of drives possible via  
both cable and remote control.

(DD-1690)  
**79,00 €**



**Group module  
for wired 230V drives.**

Parallel control of a roller shutter group.

(DC-209)  
**55,00 €**

# MOTORS AND CONTROLS



## ACCESORIES



**Cable with USB-A and  
USB-C connectors**  
3 m

(Z-48-300)  
**18,00 €**



**USB charger**

(DC-220)  
**20,00 €**



**Solar panel**  
with Micro-USB-connectors | without enclosure  
475 x 50 x 10 mm

(DC-1288)  
**109,00 €**



**Solar panel**  
with Micro-USB-Connectors | with enclosure  
400 x 50 x 8 mm

(DC-1289G)  
**80,00 €**




**Cable with USB-A connector  
with magnetic plug**  
for charging rechargeable batteries  
3 m

(Z-42-300M)  
**12,00 €**



**Adapter**  
With Micro-USB and USB-C connection  
for connecting the solar panel  
to the battery motor

(Z-48-004)  
**13,00 €**



THE APPLICATION  
FOR CONTROLLING RADIO  
DRIVES/BI-DIRECTIONAL

TO CONTROL DRIVES THROUGH THE APP,  
YOU WILL NEED BREL - HOME HUB (P.22)

# GENERAL TERMS AND CONDITIONS OF WARRANTY

- 1** SHADOW-SYSTEM Sp. z o.o. with its seat in Kawle Dolne 4F, 83-304, Przodkowo, hereafter referred to as Guarantor, warrants good quality and smooth operation of a new product, according to standards provided for a given type of products, subject to their intended use, under normal conditions.
- 2** SHADOW-SYSTEM Sp. z o.o. provides the warranty for:
  - 36 months from the date of purchase system for pleated blind, roller blind venetian blinds,
  - 12 months from the date of purchase of fabrics, wooden and aluminium slats.
- 3** The warranty covers only defects in product resulting from the Manufacturer's fault. For such it shall be deemed the use of defective materials, production faults and construction errors.
- 4** During a physical reception of product in the Guarantor's headquarter or on the product delivery day by a freight company, the Buyer is obliged to check the quality, dimensions and the completeness of delivered product according to the order, otherwise the right to make a complaint regarding quality and delivery completeness will be forfeit.
- 5** Upon discovery of a defect in a product, the Buyer is obliged to notify it to the Guarantor within 14 days. Failure to comply with anyone of the above-mentioned conditions will result in losing the warranty rights.
- 6** All claims under the warranty are considered in the Guarantor's headquarter only (SHADOW-SYSTEM Sp. z o.o., Kawle Dolne 4F, 83-304 Przodkowo). The Parties shall individually agree on the way for returning a product to the above headquarter.
- 7** The basis for making a claim under the warranty is a properly filled in warranty card, original bill of purchase (receipt or invoice) and a completely filled in complaint document.
- 8** The completed complaint form, scanned bill of purchase as well as comprehensive photographic documentation shall be sent to the e-mail address: [info@shadow-system.pl](mailto:info@shadow-system.pl)
- 9** Guarantor is obliged to investigate the legitimacy of a claim under the warranty within 14 days after receiving a written complaint, and in case if visual inspection of goods with defect is necessary, within 14 days after the date of returning goods to the Guarantor's headquarter.
- 10** Guarantor shall not be liable in case of:
  - mechanical damage or damage due to misuse or negligent handling, storing or using under improper conditions,
  - natural wear and tear of original elements, parts and accessories caused by their normal use,
  - modification of original product and interference into its structure by third parties, as well as use of other spare parts or accessories than those recommended by the Guarantor,
  - any repairs made by unauthorised personnel,
  - mounting inconsistent with good construction practices and with manufacturer's instructions, ,
  - use inconsistent with the user manual,
  - smells emitted by the product, coming from components used for the production (e.g. natural smell of bamboo slats),
  - natural small plane deformation of aluminium slats, wooden slats and fabrics surfaces,
  - differences in shades and texture of wooden slats due to natural characteristics of timber,
  - discolouration and other changes on the surface of elements caused by weather conditions,
  - differences in colours between a ready-made product and an outdated sampler or catalogue,
  - maintenance, cleaning the products, battery replacement in electrical components,
  - damage due to random incidents (fire, flood, lightning, low or too high temperatures and any other natural disasters).
- 11** Products exceeding minimum and maximum recommended dimensions specified in the technical information shall not be subject to the General Terms and Conditions of Warranty and are made to the sole responsibility of the Buyer. In such case the Guarantor shall make every effort to provide a fully functional product.
- 12** If the complaint is accepted, the Guarantor agrees to repair or replace the defective product as soon as possible.
- 13** Should a repair or replacement be impossible or should it require excessive costs, the Guarantor undertakes to take defective product back and return the purchase cost.
- 14** If the complaint is accepted and it is impossible to remove the manufacturing defects of the aluminium slats, wooden slats or fabrics because of e.g. withdrawal from the offer within the warranty period, the Guarantor may suggest a replacement for a colour-similar component.
- 15** In case the complaint is rejected, the product is returned at the Buyer's expense.
- 16** The warranty for the consumer goods within the meaning of the Act of 27.07.2002 on specific conditions of consumer sales and on the amendment to the Civil Code (Dz.U. 2002/141/1176), shall not exclude, limit or suspend the Customer rights when the provided product is inconsistent with the purchase agreement.



**Shadow-System Sp. z o. o.**

Kawle Dolne 4F

83-304 Przodkowo

tel. +48 58 550 08 80

fax. +48 58 550 76 52

[info@shadow-system.pl](mailto:info@shadow-system.pl)

[www.shadow-system.pl](http://www.shadow-system.pl)



**Day/Night Roller Blinds**  
Priceliste